



广东美立机械科技有限公司
Guangdong Meili Machinery Technology Co., LTD


地 址：广东佛山市南海区黄岐洞庭路29号
No.29 Dongting Road, Huangqi, Nanhai District, Foshan City, Guangdong Province

外销热线 Exporting Tel: 135 3518 0980
E-mail: 4717978@qq.com

Dalis

Dalis

大力士





公司简介

广东美立机械科技有限公司，成立于2006年。坐落于——广东佛山。注册资本超伍佰万元，占地1.1万平方米。生产面积2万平方米。是一家执着于园林工具研发、生产、销售为一体的民营企业。主要产品涵盖汽油链锯、割灌机（修剪机）、绿篱机、地钻等园林工具。

美立依托中国五金之都区域及产业优势，采用差异化战略，根据特定市场的适用性，聘请高素质研发，生产管理，销售拓展人才。卓越品质源自以人为本的经营理念。定期为一线员工提供专业技能培训，从而使其操作技能得以提高。工厂现有员工500余人，具有二十多年丰富研发经验的高级工程师。可以满足不同客户定制开发，贴牌生产之需求。

公司拥有美国进口加工中心20台，注塑机7台，铝压铸设备4台，我司生产的产品90%零部件自产，能够实现控制生产成本，稳定产品质量的目标。8条装配流水线能够满足最高日产8000台的生产任务，确保如期交货。

我司通过了ISO9001质量管理体系认证。德国GS、欧盟CE、欧盟EMC、加拿大CSA、欧洲排放EURII、美国排放EPAIII等国际认证和国家3C安全认证。严格执行EPAII、EURO V、ROHS、REACH、WEEE等国际环保标准要求。

经过十五年的深耕细作，美立工具凭借精准的战略构想，强大的科研力量，卓越的产品质量以及诚信为本的经营理念，已成功成为国内外许多大型批发商，连锁店，五金大卖场和跨境电商的长期供应商。我们不断优化管理体系，采用ERP系统协助公司运营管理。我司已将销售网络拓展至俄罗斯、德国、西班牙、英国、波兰、巴西等20多个国家和地区，并以优异的服务，稳定的品质，获得了消费者的一致好评。公司自有品牌DaLiS深得东南亚市场消费者青睐。

十多年来公司始终专注于实业，自2012年起，先后被评为高新技术企业等称号。公司将坚持引领工具革新、打造美好家园为使命，坚持以服务客户为已任，为力争成为全球园林工具的领跑者而不懈努力。秉承诚实开放双赢的原则，美立工具始终是您在中国最优质的合作伙伴。

Company Introduction

Guangdong Meili Machinery Technology Co., LTD with over ten million registered capital was established in 2006. Located in Foshan, Guangdong Province, the registered capital of 5 million yuan

It covers an area of 11,000 square meters. The production area is 20,000 square meters. It is a private enterprise dedicated to the research and development, production and sales of garden tools. The main products include gasoline chain saws, brush cutters (pruners), hedge trimmers, earth auger (ground drills) and other garden tools.

Relying on the regional and industrial advantages of China's hardware capital, Hehong adopts a differentiated strategy and employs high-quality R&D, production management, and professional sales staff according to the applicability of a specific market. Excellent quality comes from the people-oriented business philosophy. Regularly provide professional skills training for front-line employees to improve their operational skills. The factory has more than 500 employees and our senior engineers with more than 20 years R&D experience. We can meet the needs of customized order and OEM production.

The company has 20 processing equipments which imported from the United States, and 7 injection molding machines, and 4 aluminum die-casting equipment. 90% of the products produced by our company are self-produced, which can achieve the goal of controlling production costs and stabilizing product quality. The 8 assembly lines can meet the production task of up to 8,000 units per day and ensure timely delivery.

Our company has passed the ISO9001 quality management system certification. Germany GS, EU CE, EU EMC, Canadian CSA, European emission EURII, U.S. emission EPAIII and other international certifications and national 3C safety certification. Strictly implement EPAII, EURO V, ROHS, REACH, WEEE and other international environmental protection standards.

After more than 15 years of intensive cultivation, Meili Tools has successfully become many large wholesalers, chain stores, hardware hypermarkets, and Long-term supplier of cross-border e-commerce. We have expanded the sales network to more than 20 countries and regions such as Russia, Germany, Spain, the United Kingdom, Poland, Brazil, and has won unanimous praise from consumers with its excellent service and stable quality. Our own brand DaLiS has won good reputation in the Southeast Asian market.

Since 2012, we have been rated as a high-tech enterpris. The company will adhere to the mission of leading the innovation of tools, insisting on serving customers as its' responsibility, and making unremitting efforts to become a leader in global garden tools. Adhering to the principle of honesty, openness and win-win, Meili Tools is always your best partner in China.

DaLiS

大力士

专注园林工具产业超25年

Concentrate on garden tools manufacutre more than 25 years

广东美立机械科技有限公司

DaLiS

大力士

目录 CONTENTS

01+汽油锯 Gasoline Chainsaw

H640	H932	H945	H959	H962	H971
H972	H972E	N992	H9105	H745	H752
H758	H760	H760A	H768	NH60	NH5800
H865	H871	H871A	H872	H887	

23+割草机 Brush Cutter

GE931-C/GE931-B	GE936-C/GE936-B
GE940-C/GE940-B	GE938-C
GE945-C	GE955-C
GE7415-C/GE7415-B	GS139-3-C/GS139-3-B
GE40-5-C/GE40-5-B	GS141-A-C/GS141-A-B
GS145-C/GS145-B	



DaLiS

油锯系列

Gasoline Chain saw



H640

Gasoline Chain saw
油锯



40.2cc

发动机排量
Engine Displacement

1.6KW

发动机功率
Engine Power

18"

导板尺寸
Rollomatic bar length

40cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine
齿数	Number of teeth	7 Z
装柜数	Container loading quantity	20GP:700PCS / 40GP:1526PCS / 40HQ:1744PCS

链节距	Chain pitch	0.325
链规	Chain Gauge	0.058mm

全套配件可供 Full set spare parts available

H932

Gasoline Chain saw
油锯



31.8cc

发动机排量
Engine Displacement

1.5KW

发动机功率
Engine Power

14" 16" 18"

导板尺寸
Rollomatic bar length

40cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine
齿数	Number of teeth	6 Z
装柜数	Container loading quantity	20GP:826PCS / 40GP:1680PCS / 40HQ:1920PCS

链节距	Chain pitch	3/8
链规	Chain Gauge	0.05mm



H945 (45.5CC 2.5KW)

Gasoline Chain saw
油锯



全套配件可供 Full set spare parts available

45.5cc

发动机排量
Engine Displacement

2.2KW

发动机功率
Engine Power

16" 18" 20" 25"

导板尺寸
Rollomatic bar length

45cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine
齿数	Number of teeth	6 Z / 7 Z
装柜数	Container loading quantity	20GP:736PCS / 40GP:1536PCS / 40HQ:1728PCS

链节距	Chain pitch	3/8
链规	Chain Gauge	0.325mm

H959

Gasoline Chain saw
油锯

Popular in Mexico & Vietnam



59cc
发动机排量
Engine Displacement

3.1KW
发动机功率
Engine Power

18" 20" 22"
导板尺寸
Rollomatic bar length

55cm
最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063mm
装柜数	Container loading quantity	20GP:700PCS / 40GP:1526PCS / 40HQ:1680PCS			



全套配件可供 Full set spare parts available

H962

Gasoline Chain saw
油锯



61.5cc
发动机排量
Engine Displacement

3.2KW
发动机功率
Engine Power

18" 20" 22"
导板尺寸
Rollomatic bar length

55cm
最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063mm
装柜数	Container loading quantity	20GP:700PCS / 40GP:1526PCS / 40HQ:1680PCS			



全套配件可供 Full set spare parts available



H971

Gasoline Chain saw
油锯

Popular in Mexico & Vietnam



70.7cc

发动机排量
Engine Displacement

4.0KW

发动机功率
Engine Power

18" 20" 22" 25"

导板尺寸
Rollomatic bar length

45cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine
齿数	Number of teeth	7 Z
装柜数	Container loading quantity	20GP:700PCS / 40GP:1526PCS / 40HQ:1680PCS

链节距	Chain pitch	3/8
链规	Chain Gauge	0.063mm

全套配件可供 Full set spare parts available



H972

Gasoline Chain saw
油锯

Popular in
Southeast Asia & South America



全套配件可供 Full set spare parts available

72cc

发动机排量
Engine Displacement

3.6KW

发动机功率
Engine Power

16" 20" 25" 30"

导板尺寸
Rollomatic bar length

60cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine
齿数	Number of teeth	7 Z
装柜数	Container loading quantity	20GP:700PCS / 40GP:1526PCS / 40HQ:1680PCS

链节距	Chain pitch	3/8
链规	Chain Gauge	0.063mm



H972E

Gasoline Chain saw
油锯

Popular in
Southeast Asia & South America

全套配件可供 Full set spare parts available

72cc

发动机排量
Engine Displacement

3.6KW

发动机功率
Engine Power

16" 20" 25" 30"

导板尺寸
Rollomatic bar length

60cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063mm
装柜数	Container loading quantity	20GP:700PCS / 40GP:1526PCS / 40HQ:1680PCS			



H992

Gasoline Chain saw
油锯

Popular in Mexico & Vietnam



91.6cc
发动机排量
Engine Displacement

5.2KW
发动机功率
Engine Power

20" 22" 25" 30" 36"
导板尺寸
Rollomatic bar length

60cm
最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063mm
装柜数	Container loading quantity	20GP:504PCS / 40GP:1032PCS / 40HQ:1224PCS			

全套配件可供 Full set spare parts available



H9105

Gasoline Chain saw
油锯

Popular in
Southeast Asia & South America



105.7cc
发动机排量
Engine Displacement

4.8KW
发动机功率
Engine Power

20" 22" 30" 42"
导板尺寸
Rollomatic bar length

85cm
最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	0.404
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063mm
装柜数	Container loading quantity	20GP:462PCS / 40GP:966PCS / 40HQ:1127PCS			

全套配件可供 Full set spare parts available





H745

Gasoline Chain saw
油锯



全套配件可供 Full set spare parts available

45cc

发动机排量
Engine Displacement

1.8KW

发动机功率
Engine Power

18" 20"

导板尺寸
Rollomatic bar length

45cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	0.325
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.058mm
装柜数	Container loading quantity	20GP:728PCS / 40GP:1512PCS / 40HQ:1728PCS			

H752

Gasoline Chain saw
油锯



全套配件可供 Full set spare parts available

52cc

发动机排量
Engine Displacement

2.1KW

发动机功率
Engine Power

18" 20" 25"

导板尺寸
Rollomatic bar length

50cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	0.325
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.058mm
装柜数	Container loading quantity	20GP:784PCS / 40GP:1624PCS / 40HQ:1586PCS			





H758
Gasoline Chain saw
油锯

全套配件可供 Full set spare parts available

55cc 发动机排量 Engine Displacement		2.3KW 发动机功率 Engine Power		20" 22" 导板尺寸 Rollomatic bar length		50cm 最大切割长度 Maximum cutting length		
发动机类型	Engine Type	Two-stroke air-cooled gasoline engine				链节距	Chain pitch	0.325
齿数	Number of teeth	7 Z				链规	Chain Gauge	0.058mm
装柜数	Container loading quantity	20GP:648PCS / 40GP:1350PCS / 40HQ:1600PCS						



H760

Gasoline Chain saw
油锯



EASY START
易启动

55.6cc
发动机排量
Engine Displacement

2.5KW
发动机功率
Engine Power

20" 22"
导板尺寸
Rollomatic bar length

50cm
最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine
齿数	Number of teeth	7 Z
装柜数	Container loading quantity	20GP:504PCS / 40GP:1056PCS / 40HQ:1232PCS

链节距	Chain pitch	0.325
链规	Chain Gauge	0.058mm

全套配件可供 Full set spare parts available

H760A

Gasoline Chain saw
油锯



55.6cc
发动机排量
Engine Displacement

2.5KW
发动机功率
Engine Power

20" 22"
导板尺寸
Rollomatic bar length

50cm
最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine
齿数	Number of teeth	7 Z
装柜数	Container loading quantity	20GP:504PCS / 40GP:1056PCS / 40HQ:1232PCS

链节距	Chain pitch	0.325
链规	Chain Gauge	0.058mm

H768

Gasoline Chain saw
油锯



全套配件可供 Full set spare parts available

55cc
发动机排量
Engine Displacement

2.3KW
发动机功率
Engine Power

18" 20" 22"
导板尺寸
Rollomatic bar length

50cm
最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine
齿数	Number of teeth	7 Z
装柜数	Container loading quantity	20GP:780PCS / 40GP:1620PCS / 40HQ:1728PCS

链节距	Chain pitch	0.325
链规	Chain Gauge	0.058mm

NH60

Gasoline Chain saw
油锯

EASY START
易启动



55.6cc
发动机排量
Engine Displacement

2.7KW
发动机功率
Engine Power

20" 22"
导板尺寸
Rollomatic bar length

50cm
最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine
齿数	Number of teeth	7 Z
装柜数	Container loading quantity	20GP:504PCS / 40GP:1056PCS / 40HQ:1232PCS

链节距	Chain pitch	0.325
链规	Chain Gauge	0.058mm

全套配件可供 Full set spare parts available

NH5800

Gasoline Chain saw
油锯

EASY START
易启动



55cc
发动机排量
Engine Displacement

2.3KW
发动机功率
Engine Power

20" 22"
导板尺寸
Rollomatic bar length

50cm
最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine
齿数	Number of teeth	7 Z
装柜数	Container loading quantity	20GP:648PCS / 40GP:1350PCS / 40HQ:1600PCS

链节距	Chain pitch	0.325
链规	Chain Gauge	0.058mm



全套配件可供 Full set spare parts available

H865

Gasoline Chain saw
油锯

65.1cc
发动机排量
Engine Displacement

3.4KW
发动机功率
Engine Power

16" 18" 22" 24"
导板尺寸
Rollomatic bar length

55cm
最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine
齿数	Number of teeth	7 Z
装柜数	Container loading quantity	20GP:648PCS / 40GP:1350PCS / 40HQ:1500PCS

链节距	Chain pitch	3/8
链规	Chain Gauge	0.058mm



H871

Gasoline Chain saw
油锯



全套配件可供 Full set spare parts available

70.7cc 发动机排量 Engine Displacement
3.9KW 发动机功率 Engine Power
16" 18" 22" 24" 28" 导板尺寸 Rollomatic bar length
55cm 最大切割长度 Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.058mm
装柜数	Container loading quantity	20GP:648PCS / 40GP:1350PCS / 40HQ:1500PCS			

H871A

Gasoline Chain saw
油锯



全套配件可供 Full set spare parts available

70.7cc 发动机排量 Engine Displacement
3.9KW 发动机功率 Engine Power
16" 18" 22" 24" 28" 导板尺寸 Rollomatic bar length
55cm 最大切割长度 Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.058mm
装柜数	Container loading quantity	20GP:648PCS / 40GP:1350PCS / 40HQ:1500PCS			



H872

Gasoline Chain saw
油锯



72cc

发动机排量
Engine Displacement

3.6KW

发动机功率
Engine Power

25" 28" 30"

导板尺寸
Rollomatic bar length

60cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063mm
装柜数	Container loading quantity				

全套配件可供 Full set spare parts available

H887

Gasoline Chain saw
油锯

Popular in Southeast
Asia & South America



87cc

发动机排量
Engine Displacement

4.2KW

发动机功率
Engine Power

22" 25" 30" 36"

导板尺寸
Rollomatic bar length

60cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063mm
装柜数	Container loading quantity				



Overview of Chainsaw
链锯参数总览

型号	Model No.	H640 For all market	H932	H945	H959 Popular in Mexico & Vietnam	H962	H971 Popular in Mexico & Vietnam	Popular in Southeast Asia &South America	Popular in Southeast Asia &South America
发动机类型: 缸径*冲程:	Engine Type:	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine
发动机排量	Engine Displacement (CC)	40.2cc	31.8cc	45.5cc	59cc	61.5cc	70.7cc	72cc	72cc
发动机功率	Engine Power (kW)	1.6kw	1.5kw	2.2kw	3.1kw	3.2kw	4.0kw	3.6kw	3.6kw
缸径	Cylinder Diameter	φ40	φ38	φ42.5	φ47	φ48	φ50	φ52	φ52
最大发动机空转速度	Maximum Engine Idling speed(rpm)	2800rpm	2800rpm	2800rpm	2800rpm	2800rpm	3000rpm	2800rpm	2800rpm
导杆类型: 链轮鼻	Guide bar type	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose
导杆尺寸 (英寸)	Rollomatic bar length (inch)	18"	14" 16" 18" optional	16" 18" 20" 25" optional	18" 20" 22" optional	18" 20" 22" optional	18" 20" 22" 25" optional	18" 20" 25" 30" optional	16" 20" 25" 30" optional
最大切割长度	Maximum cutting length (cm)	40cm	40cm	45cm	55cm	55cm	60cm	60cm	60cm
链节距	Chain pitch:	0.325	3/8	3/8	3/8	3/8	3/8	3/8	3/8
链规 (英寸)	Chain Gauge(inch)	0.068	0.05	0.05 / 0.325	0.063	0.063	0.063	0.063	0.063
齿数	Number of teeth (Z)	7	6	6/7	7	7	7	7	7
油箱容量:	Fuel tank capacity:	400ml	280ml	470ml	680ml	680ml	575ml	680ml	680ml
双循环汽油/机油混合比	2-Cycle gasoline/Oil mixing ratio	40:1	40:1	40:1	40:1	40:1	40:1	40:1	40:1
减压阀	Decompression valve	N/A	N/A	N/A	A	A	A	A	N/A
点火系统:	Ignition system	CDI	CDI	CDI	CDI	CDI	CDI	CDI	CDI
化油器	Carburetor	pump-film type	pump-film type	pump-film type	pump-film type	pump-film type	pump-film type	pump-film type	pump-film type
供油系统	Oil feeding system:	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster
包装方式	Packing way	*1PC/Color box + 2 Color boxes / Carton box"	*1PC/Color box + 2 Color boxes / Carton box"	*1PC/Color box + 2 Color boxes / Carton box"	*1PC/Color box + 2 Color boxes / Carton box"	*1PC/Color box + 2 Color boxes / Carton box"	*1PC/Color box + 2 Color boxes / Carton box"	*1PC/Color box + 2 Color boxes / Carton box"	*1PC/Color box + 2 Color boxes / Carton box"
包装尺寸 Packing size	1PC/Colir box	42*26.5*28	45*24*28	45*26.5*26.5	45*26*30	45*26*30	45*26*30	45*26*30	45*26*30
	2 Color box / Carton	55*45*31	49.5*41*30	49.5*41*30	55*46*32 horizontal	55*46*32 horizontal	55*46*32 horizontal	55*46*32 horizontal	55*46*32 horizontal
	20GP container	700PCS in 350CTN	826PCS in 413CTN	736PCS in 368CTN	700PCS in 350 CTN	700PCS in 350 CTN	700PCS in 350 CTN	700PCS in 350 CTN	700PCS in 350 CTN
集装箱装载量 Container loading quantity	40GP container	1526PCS in 763CTN	1680PCS in 840CTN	1680PCS in 840CTN	1526PCS in 763 CTN	1526PCS in 763 CTN	1526PCS in 763 CTN	1526PCS in 763 CTN	1526PCS in 763 CTN
	40HQ container	1744PCS in 872CTN	1920PCS in 960CTN	1728PCS in 864CTN	1680PCS in 840CTN	1680PCS in 840CTN	1680PCS in 840CTN	1680PCS in 840CTN	1680PCS in 840CTN

Overview of Chainsaw
链锯参数总览

型号	Model No.	H992 Popular in Mexico & Vietnam	H9105 Popular in Mexico & Vietnam	H745 For all market	H752 Hot sale for all market	H758 Hot sale for all market Easy Start	H760 For all market Easy Start	H760A	H768 For all market
发动机类型: 缸径*冲程:	Engine Type:	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine
发动机排量	Engine Displacement (CC)	91.6cc	105.7cc	45cc	52cc	55cc	55.6cc	55.6cc	55cc
发动机功率	Engine Power (kW)	5.2kw	4.8kw	1.8kw	2.1kw	2.3kw	2.3kw	2.3kw	2.3kw
缸径	Cylinder Diameter	φ54	φ58	φ43	φ45	φ45.2	φ45	φ45	φ45.2
最大发动机空转速度	Maximum Engine Idling speed(rpm)	2800rpm	2700rpm	2800rpm	2800rpm	2800rpm	2800rpm	2800rpm	2800rpm
导杆类型: 链轮鼻	Guide bar type	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose
导杆尺寸 (英寸)	Rollomatic bar length (inch)	20" 22" 25" 30" 36" optional	20" 22" 30" 36" 42" optional	18" 20" optional	18" 20" 25" optional	20" 22" optional	20" 22" optional	20" 22" optional	18" 20" 22" optional
最大切割长度	Maximum cutting length (cm)	60cm	85cm	45cm	50cm	50cm	50cm	50cm	50cm
链节距	Chain pitch:	3/8	0.404	0.325	0.325	0.325	0.325	0.325	0.325
链规 (英寸)	Chain Gauge(inch)	0.063	0.063	0.058	0.058	0.058	0.058	0.058	0.058
齿数	Number of teeth (Z)	7	7	7	7	7	7	7	7
油箱容量:	Fuel tank capacity:	680ml	1200ml	550ml	550ml	550ml	550ml	550ml	550ml
双循环汽油/机油混合比	2-Cycle gasoline/Oil mixing ratio	40:1	40:1	40:1	40:1	40:1	40:1	40:1	40:1
减压阀	Decompression valve	A	A	N/A	N/A	N/A	N/A	N/A	N/A
点火系统:	Ignition system	CDI	CDI	CDI	CDI	CDI	CDI	CDI	CDI
化油器	Carburetor	pump-film type	pump-film type	pump-film type	pump-film type	pump-film type	pump-film type	pump-film type	pump-film type
供油系统	Oil feeding system:	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster
包装方式	Packing way	*1PC/Color box + 2 Color boxes / Carton box"	*1PC/Color box + 1 Color boxes / Carton box"	*1PC/Color box + 2 Color boxes / Carton box	*1PC/Color box + 2 Color boxes / Carton box"	*1PC/Color box + 2 Color boxes / Carton box"	*1PC/Color box + 2 Color boxes / Carton box"	*1PC/Color box + 2 Color boxes / Carton box"	*1PC/Color box + 2 Color boxes / Carton box"
包装尺寸 Packing size	1PC/Colir box	46.5*29.5*33	54*31*35	40*28*27	40*28*26	45*26.5*29.5	52*31*30	52*31*30	43*28.5*28
	2 Color box / Carton	48.5*31*69	57*32.5*36.5	44.5*29.5*55	41.5*31*55.5	48*28*61	54*32.5*62.5	54*32.5*62.5	44*28*60
	20GP container	504PCS in 252CTN	462PCS in 462CTN	728PCS in 364CTN	784PCS in 392CTN	648PCS in 324CTN	504PCS in 252CTN	504PCS in 252CTN	780PCS in 390CTN
集装箱装载量 Container loading quantity	40GP container	1032PCS in 516CTN	966PCS in 966CTN	1512PCS in 756CTN	1624PCS in 812CTN	1624PCS in 812CTN	1056PCS in 528CTN	1056PCS in 528CTN	1620PCS in 810CTN
	40HQ container	1224PCS in 612CTN	1127PCS in 1127CTN	1728PCS in 864CTN	1856PCS in 928CTN	1600PCS in 800CTN	1232PCS in 616CTN	1232PCS in 616CTN	1728PCS in 864CTN

Overview of Chainsaw
链锯参数总览



型号	Model No.	NH60 For all market Easy Start	NH5800 For all market	H865	H871	H871A	H872	H887	
发动机类型: 缸径*冲程:	Engine Type:	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	52X34	54X38	
发动机排量	Engine Displacement (CC)	55.6cc	55cc	65.1cc	70.7cc	70.7cc	72	87	
发动机功率	Engine Power (kW)	2.7kW	2.3kW	3.4kW	3.9kW	3.9kW	3.6	4.2	
缸径	Cylinder Diameter	φ45	φ45.2	φ48	φ50	φ50	φ52	φ54	
最大发动机空转速度	Maximum Engine Idling speed(rpm)	2800rpm	2800rpm	2700rpm	2700rpm	2700rpm	12500	12500	
导杆类型: 链轮鼻	Guide bar type	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose	Sprocket nose	
导杆尺寸 (英寸)	Rollomatic bar length (inch)	20" 22" optional	20" 22" optional	16" 18" 22" 24" optional	16" 18" 22" 24" 28" optional	16" 18" 22" 24" 28" optional	28" 30" optional	22" 25" 30" 36" optional	
最大切割长度	Maximum cutting length (cm)	50cm	50cm	55cm	55cm	55cm	60cm	60cm	
链节距	Chain pitch:	0.325	0.325	3/8	3/8	3/8	3/8	STIL/Oregon optional	
链规 (英寸)	Chain Gauge(Inch)	0.058	0.058	0.058	0.058	0.058	0.063	3/8	
齿数	Number of teeth (Z)	7	7	7	7	7	7	0.063	
油箱容量:	Fuel tank capacity:	550ml	550ml	770ml	770ml	770ml	750ML	7	
双循环汽油/机油混合比	2-Cycle gasoline/Oil mixing ratio:	40:1	40:1	40:1	40:1	40:1	40:1	900ML	
减压阀	Decompression valve	N/A	N/A	A	A	A	A	40:1	
点火系统:	Ignition system	CDI	CDI	CDI	CDI	CDI	CDI	A	
化油器	Carburetor	pump-film type	pump-film type	pump-film type	pump-film type	pump-film type	pump-film type	CDI	
供油系统	Oil feeding system:	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	pump-film type	
包装方式	Packing way	"1PC/Color box + 2 Color boxes / Carton box"	"1PC/Color box + 2 Color boxes / Carton box"	"1PC/Color box + 2 Color boxes / Carton box"	"1PC/Color box + 2 Color boxes / Carton box"	"1PC/Color box + 2 Color boxes / Carton box"		Automatic pump with adjuster "1PC/Color box + 2 Color boxes / Carton box"	
包装尺寸	Packing size	1PC/Color box 2 Color box / Carton	54*32.5*62.5 48*28*61	45*26.5*29.5 48*27.5*68	47*25*32 48*27.5*68	47*25*32 48*27.5*68			
集装箱装载量	Container loading quantity	20GP container 40GP container 40HQ container	504PCS in 252CTN 1056PCS in 528CTN 1232PCS in 616CTN	648PCS in 324CTN 1350PCS in 675CTN 1600PCS in 800CTN	648PCS in 324CTN 1350PCS in 675CTN 1500PCS in 750CTN	648PCS in 324CTN 1350PCS in 675CTN 1500PCS in 750CTN			





GE931-C
Brush cutter
割草机

全套配件可供 Full set spare parts available

30.8cc 发动机排量 Engine Displacement	1.3KW/1.8HP 发动机功率 Engine Power	420mm 切割宽度 Cut width
发动机类型 Engine Type	Single-cylinder two-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量：不含燃料，切削工具等 Weight without fuel, cutting tool/guard		5.6kg



GE936-C
Brush cutter
割草机

全套配件可供 Full set spare parts available

36.3cc 发动机排量 Engine Displacement	1.6KW/2.2HP 发动机功率 Engine Power	420mm 切割宽度 Cut width
发动机类型 Engine Type	Single-cylinder two-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量：不含燃料，切削工具等 Weight without fuel, cutting tool/guard		5.6kg



Brush cutter
割草机



GE940-C
Brush cutter
割草机

全套配件可供 Full set spare parts available

40.2cc 发动机排量 Engine Displacement	1.6KW/2.2HP 发动机功率 Engine Power	420mm 切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder two-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量: 不含燃料, 切削工具等 Weight without fuel, cutting tool/guard		5.6kg



GE938-C
Brush cutter
割草机

全套配件可供 Full set spare parts available

27.2cc 发动机排量 Engine Displacement	0.75KW/8.5HP 发动机功率 Engine Power	420mm 切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder two-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter	
重量: 不含燃料, 切削工具等 Weight without fuel, cutting tool/guard		4.4kg



GE945-C

Brush cutter
割草机

全套配件可供 Full set spare parts available

27.2cc

发动机排量
Engine Displacement

0.75KW/8.5HP

发动机功率
Engine Power

420mm

切割宽度
Cut width

发动机类型	Engine Type	Single-cylinder two-stroke air-cooled gasoline engine
刀片种类	Blade type	Nylon cutter
重量: 不含燃料, 切削工具等	Weight without fuel, cutting tool/guard	4.4kg



GE955-C

Brush cutter
割草机

全套配件可供 Full set spare parts available

27.2cc

发动机排量
Engine Displacement

0.75KW/8.5HP

发动机功率
Engine Power

420mm

切割宽度
Cut width

发动机类型	Engine Type	Single-cylinder two-stroke air-cooled gasoline engine
刀片种类	Blade type	Metal blade
重量: 不含燃料, 切削工具等	Weight without fuel, cutting tool/guard	4.9kg

Double shoulder optional



GE7415-C
Brush cutter
割草机

全套配件可供 Full set spare parts available

41.5cc 发动机排量 Engine Displacement	1.7KW/2.3HP 发动机功率 Engine Power	420mm 切割宽度 Cut width
发动机类型 Engine Type	Single-cylinder two-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量: 不含燃料, 切割工具等 Weight without fuel, cutting tool/guard		6.8kg



G139-3-B
Brush cutter
割草机

全套配件可供 Full set spare parts available

31cc 发动机排量 Engine Displacement	0.8KW/1.1HP 发动机功率 Engine Power	420mm 切割宽度 Cut width
发动机类型 Engine Type	Single-cylinder four-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量: 不含燃料, 切割工具等 Weight without fuel, cutting tool/guard		6.4kg

Double shoulder optional



GE40-5-C

Brush cutter
割草机

全套配件可供 Full set spare parts available

42.7cc

发动机排量
Engine Displacement

1.5KW/1.8HP

发动机功率
Engine Power

420mm

切割宽度
Cut width

发动机类型

Engine Type

Single-cylinder two-stroke air-cooled gasoline engine

刀片种类

Blade type

Nylon cutter / Metal blade





GS141-A-C / GS141-A-B Brush cutter
割草机

全套配件可供 Full set spare parts available

39cc 发动机排量 Engine Displacement	1.2KW/1.6HP 发动机功率 Engine Power	420mm 切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder four-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量: 不含燃料, 切削工具等 Weight without fuel, cutting tool/guard		6.4/7.1kg



G145-C / G145-B Brush cutter
割草机

全套配件可供 Full set spare parts available

39cc 发动机排量 Engine Displacement	1.0KW/1.4HP 发动机功率 Engine Power	420mm 切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder four-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量: 不含燃料, 切削工具等 Weight without fuel, cutting tool/guard		6.5/7.2kg



Overview of Brush cutter

割草机参数总览



型号	Model No	GE931-C (120)	GE936-C(200)
发动机类型	Engine type	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder two-stroke air-cooled gasoline engine
额定功率	Rated pow	1.3kw/1.8hp	1.6kw/2.2hp
排量 CC	Displacement (CC)	30.8CC	36.3CC
缸径 (毫米)	Cylinder bore (mm)	1.38 in (35mm)	1.5 in (38mm)
行程 (毫米)	Stroke (mm)	1.26 in (32mm)	1.26 in (32mm)
引擎重量(千克)	Engine Weight (kg)	3.4kg	3.4kg
背带 (单肩/双肩)	Harness	single shoulder	single shoulder
重量(不含燃料、切割工具等) (千克)	Weight without fuel, cutting tool/guard(kg)	5.6 kg	5.6 kg
切割宽度 (毫米)	Cut width (mm)	420	420
最大推荐引擎转速 (转/分)	Maximum recommended engine speed (rpm)	12300±200	12300±200
怠速转速 (转/分)	Idle Speed (rpm)	3000±200	3000±200
最大工作转速 (转/分)	Max. Working Speed (rpm)	9700	9700
不含切割工具总长 (毫米)	Overall length without cutting tool (mm)	70 in (1785mm)	70 in (1785mm)
油箱容量 (L)	Fuel tank capacity (L)	0.64 L	0.64 L
是否免工具可调节把手	Handle adjustment without tools	是/YES	是/YES
点火方式	Ignition system	CDI	CDI
刀片种类	Blade type	Nylon cutter / Metal blade	Nylon cutter / Metal blade
化油器类型	Carburetor type	Pump film with oil bulb , Diaphragm	Pump film with oil bulb , Diaphragm
传动轴 (直径: 毫米)	Drive Shaft(Dia mm)	8	8
耐久性测试 (小时)	Durability Test (H)	120	120
气/油混合比	Gas/oil mix ratio	40:1	40:1
机油类型	Type of oil	2T	2T
包装方式	Packing way	2PC machine/ Color box, 1 Pole/carton 4 poles bind together	2PC machine/ Color box, 1 Pole/carton 4 poles bind together
包装尺寸 Packing size	Machine Color box (CM)	2PC in 60*33*28	2PC in 60*33*28
	Machine Carton box (CM)	2PC in 62.5*34.5*30	2PC in 62.5*34.5*30
	Pole carton box	1PC in 166.5*10*11	1PC in 166.5*10*11
	Pole master carton	4 poles carton box bind together	4 poles carton box bind together

Overview of Brush cutter
割草机参数总览



型号	Model No	GE940-C (250)	GE938-C	GE945-C	GE955-C	GE7415-B (G45)	GE7415-C (G45)	GS139-3-B
发动机类型	Engine type	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder four-stroke air-cooled gasoline engine
额定功率	Rated pow	1.6kw/2.2hp	0.75KW/8500rpm	0.75KW/8500rpm	0.75KW/8500rpm	1.7kW/2.3hp	0.8kW/1.1hp	
排量 CC	Displacement (CC)	40.2CC	27.2	27.2	27.2	41.5CC	31CC	
缸径 (毫米)	Cylinder bore (mm)	1.57 in (40mm)	34	34	34	1.57 in (40mm)	1.54 in (39mm)	
行程 (毫米)	Stroke (mm)	1.26 in (32mm)	30	30	30	1.30in (33mm)	1.02 in (26mm)	
引擎重量(千克)	Engine Weight (kg)	3.4 kg	3.2	3.2	3.2	4.6 kg	4.2 kg	
背带 (单肩/双肩)	Harness	single shoulder	single shoulder	single shoulder	single shoulder	double shoulder	single shoulder	double shoulder
重量-不含燃料、切割工具等 (千克)	Weight without fuel, cutting tool/guard(kg)	5.6 kg	4.4	4.4	4.9	7.5 kg	6.8kg	7.1 kg
切割宽度 (毫米)	Cut width (mm)	420	420	420	230	420	420	420
最大推荐引擎转速 (转/分)	Maximum recommended engine speed (rpm)	12300±200	10000	10000	10000	9500±200	9500±200	9500±200
怠速转速 (转/分)	Idle Speed (rpm)	3000±200	2800-3200	2800-3200	2800-3200	3000±200	3200±200	3200±200
最大工作转速 (转/分)	Max. Working Speed (rpm)	9700	8500	8500	8500	7500	7500	7500
不含切割工具总长 (毫米)	Overall length without cutting tool (mm)	70 in (1765mm)	1703.5	1703.5	1703.5	70 in (1765mm)	70 in (1765mm)	70 in (1765mm)
油箱容量 (L)	Fuel tank capacity (L)	0.64 L	0.33L	0.33L	0.33L	0.8L	0.6L	0.6L
是否免工具可调节把手	Handle adjustment without tools	是/YES	N/A	N/A	N/A	可选/Optional	可选/Optional	可选/Optional
点火方式	Ignition system	CDI	CDI	CDI	CDI	CDI	CDI	CDI
刀片种类	Blade type	Nylon cutter / Metal blade	Nylon cutter	Nylon cutter	Metal blade	Nylon cutter / Metal blade	Nylon cutter / Metal blade	Nylon cutter / Metal blade
化油器类型	Carburetor type	Pump film with oil bulb , Diaphragm	Pump film with oil bulb , Diaphragm	Pump film with oil bulb , Diaphragm	Pump film with oil bulb , Diaphragm	Pump film with oil bulb , Diaphragm	Pump film with oil bulb , Diaphragm	Pump film with oil bulb , Diaphragm
传动轴 (直径: 毫米)	Drive Shaft(Dia mm)	8	6.3	6.3	6.3	8	8	8
耐久性测试 (小时)	Durability Test (H)	120	120	120	120	120	120	120
气/油混合比	Gas/oil mix ratio	40:1	40:1	40:1	40:1	40:1	40:1	40:1
机油类型	Type of oil	2T	2T	2T	2T	2T	4T	4T
包装方式	Packing way	2PC machine/ Color box, 1 Pole/carton 4 poles bind together				1PC machine/ Color box, 2 color boxes/ Carton box. 4 Poles/ color box,4 color boxes in a carton packing extra	1PC machine/ Color box, 2 color boxes/ Carton box. 4 Poles/ color box,4 color boxes in a carton packing extra	1PC machine/ Color box, 2 color boxes/ Carton box. 4 Poles/ color box,4 color boxes in a carton packing extra
包装尺寸 Packing size	Machine Color box (CM)	2PC in 60*33*28				1PC in 36*32*42	1PC in 36*32*42	1PC in 36*32*42
	Machine Carton box (CM)	2PC in 62.5*34.5*30				2PC in 65*38.5*44	2PC in 65*38.5*44	2PC in 65*38.5*44
	Pole carton box	1PC in 166.5*10*11	1520x300x306	1520x300x306	1750x300x300	1PC in 149*9*10	1PC in 166.5*10*11	1PC in 149*9*10
	Pole master carton	4 poles carton box bind together				4carton in 150.5*21*24	4carton in 168*22.5*26.5	4PC in 150.5*21*24

Overview of Brush cutter
割草机参数总览



型号	Model No	GE40-5-B	GE40-5-C	GS141-A-B	GS141-A-C	GS145-B	GS145-C
发动机类型	Engine type	Single-cylinder two-stroke air-cooled gasoline engine		Single-cylinder four-stroke air-cooled gasoline engine		Single-cylinder four-stroke air-cooled gasoline engine	
额定功率	Rated pow	1.3kw/1.8hp		1.2kw/1.6hp		1kw/1.4hp	
排量 CC	Displacement (CC)	42.7 CC		39CC		39CC	
缸径 (毫米)	Cylinder bore (mm)	1.57 in (40mm)		1.57 in (40mm)		1.57 in (40mm)	
行程 (毫米)	Stroke (mm)	1.34 in (34mm)		1.22 in (31mm)		1.22 in (31mm)	
引擎重量(千克)	Engine Weight (kg)	—		4.2 kg		4.3 kg	
背带 (单肩/双肩)	Harness	double shoulder	single shoulder	double shoulder	single shoulder	double shoulder	single shoulder
重量-不含燃料、切割工具等 (千克)	Weight without fuel, cutting tool/guard(kg)	—		7.1 kg		7.2 kg	
切割宽度 (毫米)	Cut width (mm)	420		420		420	
最大推荐引擎转速 (转/分)	Maximum recommended engine speed (rpm)	9500±200		9500±200		9500±200	
怠速转速 (转/分)	Idle Speed (rpm)	3000±200		3200±200		3200±200	
最大工作转速 (转/分)	Max. Working Speed (rpm)	7500		7500		7500	
不含切割工具总长 (毫米)	Overall length without cutting tool (mm)	70 in (1765mm)		70 in (1765mm)		70 in (1765mm)	
油箱容量 (L)	Fuel tank capacity (L)	1L		1L		0.9L	
是否免工具可调节把手	Handle adjustment without tools	可选/Optional		可选/Optional		可选/Optional	
点火方式	Ignition system	CDI		CDI		CDI	
刀片种类	Blade type	Nylon cutter / Metal blade		nylon cutter / Metal blade		nylon cutter / Metal blade	
化油器类型	Carburetor type	Pump film with oil bulb , Diaphragm		Pump film with oil bulb , Diaphragm		Pump film with oil bulb , Diaphragm	
传动轴 (直径: 毫米)	Drive Shaft(Dia mm)	8		8		8	
耐久性测试 (小时)	Durability Test (H)	120		120		120	
气/油混合比	Gas/oil mix ratio	40:1		—		—	
机油类型	Type of oil	2T		4T		4T	
包装方式	Packing way	IPC machine/ Color box, 2 color boxes/ Carton box, 1 Pole/carton packing extra					
包装尺寸 Packing size	Machine Color box (CM)	IPC in 30*30*35		—		—	
	Machine Carton box (CM)	2PC in 61.5*31.5*37		—		—	
	Pole carton box	IPC in 16.5*11*11		—		—	
	Pole master carton	—		—		—	







电压:	42V	电机类型:	5530外转子无刷电机
电池容量:	4000mah	电机转速:	13000转/分钟
导板:	30cm	传动类型:	电机直驱
链条:	1/4"	链速:	24m/s
充电器:	AL300	重量:	1.7kg
锯切片数:	130片 (10cm)	尺寸:	450x1705x180mm

MPS260

高枝油锯

排量:	最大功率:	发动机类型:
25.6cc	0.77kw	2冲程
动力型号: 三菱TU26		
启动方式: 手拉绳式反冲启动		
锯头规格: 26 x 7T		
标配切割工具: 奥里根链条12"		
燃油箱容积: 0.75L		
燃油混合比: 25:1		
化油器模式: 膜片式		
整机高度: 2.9米		

原装正品OREGON



原装正品TU26引擎

DaLiS 大力士

8系列锂电摘果剪 Electric Fruit Picking Shears



最大剪切直径: 15MM软树枝
Cutting Diameter: 15MM
JRF-7001电机驱动



摘果专用系列



JRF-8系两段式 (摘果专用)

货号	锂电池	产品长度	产品净重	剪切范围	备注
JRF-8220	16.8V/2Ah	1.45~2.0 M	2.0 kg	0~15 mm	配防掉果夹
JRF-8225	16.8V/2Ah	1.75~2.5 M	2.2 kg	0~15 mm	配防掉果夹
JRF-8230	16.8V/2Ah	1.95~3.0 M	2.4 kg	0~15 mm	配防掉果夹

大力士

便携式电动割草机

两段伸缩
1.2~1.8米



产品参数

产品型号	KLY-GC218 (橙色)
产品名称	便携式电动割草机
产品材质	铝合金+SK-5不锈钢等
马达电机	RS775 / 12000转
电池参数	21V / 4.0&6.0Ah
产品长度	1.2~1.8米
产品净重	约1.5kg (不含电池)
备注	两段伸缩调节

标准版配置





LD3-MT01-775

LITHIUM BATTERY
CLEANING MACHINES



Motor	电机	775(brushed)
Power	功率	300W
Voltage	电压	21V
Current	电流	14A
Pressur	水压	2.3Mpa/333PSI
Flow	流量	4L/min

