

# PRODUCT CATALOGUE

INNOVATION, GOOD AFTER-SALE SERVICE, RELIABLE SUPPLIER



Provide both OEM and ODM service

1. Refrigerant gas
2. Car care products
3. Lubricant and oil
4. Car wax
5. Industrial aerosol
6. Household aerosol

welcome to visit our factory

**Umiko**™ 

# H

The bright vision of our field  
Successful ideas determine the success of the outlet



## Company Profile

GUANGZHOU UMIKO INDUSTRY CO., LTD. is an integrated industry and trade enterprise specializing in automotive spray products, automotive maintenance products and daily chemicals. Our company has more than 30,000 square meters of production and warehousing area, and has obtained ISO9001 quality management system certification. Our product network has covered more than 300 prefecture-level cities in China and expanded to more than 50 countries abroad. We have established stable cooperative relationships with many auto parts dealers at home and abroad, and enjoy a good reputation in the industry.



Manufactured and developed 8 types of car maintenance systems , like fuel systems, brake system, power steering system, intake and exhaust system, transmission system, cooling system and air conditioning system with principles of talent, Honesty, learning foreign advanced technology, management methods and working experience, combing with the specific reality of the domestic market. Besides, we has a reasonable talent structure and numbers of technical talents. In order to be more professional in this car maintenance industry, we also hire senior technicians as consultants to help us to be offering better service .

Car cleaning, car beauty , air condition cleaner and cooling gas business, UMIKO is your trusted long-term partner, and we look forward to working with you.



# Refrigerant Gas

## R134a

R134a is a refrigerant to replace CFC-12 in mobile air Conditioning and in residential, commercial and industrial refrigeration systems. It is also used as a blowing agent in rigid foams insulation.



### Product Name: R134a, tetrafluoroethane



CE cylinder

#### Physical Property:

- Molecular formula: CH<sub>2</sub>FCF<sub>3</sub>
- Constituent: tetrafluoroethane
- Molecular Weight: 102.03
- Boiling Point, °C : -26.5
- Critical Temperature, °C : 101.1
- Critical Pressure Mpa : 4.06
- GWP: 0.29
- ODP: 0.000

**Cylinder Carton Dimension:**  
24.5x24.5x42.5cm

#### Quality Index:

- Purity, % ≥ 99.9
- Moisture, PPM: ≤ 10
- Acidity, PPM: ≤ 0.1
- Vapor Residue, PPM: ≤ 100
- Appearance: Colorless, No turbid
- Odor: no strange stench

**Packing:** Can of 300G and 1000G.

Disposable cylinder--7.5lbs/3.4kg, 15lbs/6.8kg, 30lb/13.6kg, 50lbs/22.7kg;  
Recyclable cylinder--400L, 800L, 926L, ISO-Tank.

**Application:** Retrofitted Refrigerant for R12



**Packing details:** 1KGx15PCS

**Can Carton Dimension:** 41x25x27.5cm



## R22

Chlorodifluoromethane (HCFC-22), a colorless gas at room temperature, is a colorless, non-toxic, nonflammable and transparent liquid under the pressure created by itself. It has excellent thermal and chemical stabilities and is non-corrosive to metals. It is mainly used as a refrigerant.



### Product Name: R22, chlorodifluoromethane



#### Physical Property:

- Molecular formula: CH<sub>2</sub>FCF<sub>3</sub>
- Constituent: tetrafluoroethane
- Molecular Weight: 86.47
- Boiling Point, °C : -40.8
- Critical Temperature, °C : 96.2
- Critical Pressure Mpa : 4.99
- GWP: 0.17
- ODP: 0.055

**Cylinder Carton Dimension:**  
24.5\*24.5\*42.5cm

#### Quality Index:

- Purity, % ≥ 99.9
- Moisture, PPM: ≤ 10
- Acidity, PPM: ≤ 0.1
- Vapor Residue, PPM: ≤ 100
- Appearance: Colorless, No turbid
- Odor: no strange stench

**Packing:** Can of 1000G.

Disposable cylinder--7.5lbs/3.4kg, 15lbs/6.8kg, 30lb/13.6kg, 50lbs/22.7kg;  
Recyclable cylinder--400L, 800L, 926L, ISO-Tank.

**Application:** Refrigerant, intermediate.

**Packing details:** 1KGx15PCS

**Can Carton Dimension:** 41x25x27.5cm



# R404a

R404A is a kind of refrigerant of surrounds-protection model , used in replacing R22 and R502 . It has a good nature of cleaning ,low poison, non-combustion ,good-refrigeration and greatly used in air-conditioner



## Product Name: Mixed Refrigerant R404A



### Physical Property:

- Molecular formula: R125/R134/R143
- Constitute: pentafluoroethane\ tetrafluoroethane\trifluoroethane
- Molecular Weight:97.60
- Molecular Weight:102.03
- Boiling Point, °C : -46.4
- Critical Temperature, °C:72.1
- Critical Pressure Mpa,:3.74
- GWP:0.388
- ODP:0.000

### Quality Index:

- Purity,%≥99.8
- Moisture,PPm:≤10
- Acidity,PPm:≤1
- Vapor Residue,PPm:≤100
- Appearance:Colorless,No turbid
- Odor:no strange stench



**Packing:** Can of 650G ,Disposable cylinder 24lb/10.9kg; Recyclable cylinder 400L,800L,926L,1000L,ISO-Tank.

**Application:** Retrofitted Refrigerant for R502

**Carton Dimension:** 24.5x24.5x42.5cm

## Product Name: Mixed Refrigerant R410A



### Physical Property:

- Molecular formula:R125/R32
- Constitute: pentafluoroethane \ difluoromethane
- Molecular Weight:72.58
- Boiling Point, °C : -51.6
- Critical Temperature, °C:72.5
- Critical Pressure Mpa,,: 4.95
- GWP:0.2
- ODP:0

**Cylinder Carton Dimension:** 24.5x24.5x42.5cm

### Quality Index:

- Purity ≥99.8%
- Moisture,PPm: ≤10
- Acidity, PPm: ≤1
- Vapor Residue, PPm: ≤100
- Appearance: Colorless,No turbid
- Odor: No strange stench

**Packing:** Disposable cylinder 25lb/11.3kg; Recyclable cylinder 400l,800l,926l, 1000l,iso-tank.

**Application:** Retrofitted refrigerant for r22

**Packing Details:** 1kgx 15pcs



## HFO-1234yf

R1234yf is a hydrofluoroolefin (HFO) refrigerant,and this gas does not damage the ozone layer or has minimal global warming impact. You do not need a ARCTick refrigerant handling licence or a refrigerant trading authorisation to handle, sell or store this refrigerant.

### Main characteristics of R1234yf:

- ★Low toxicity
- ★Low GWP; GWP = <1
- ★Zero ozone-depleting potential
- ★Class A2L Refrigerant - Mildly flammable
- ★Low total contribution to climate change
- ★Same operating pressures as R134a system

**Packing details:** 1000gx6PCS/5Kg

**Carton Dimension:** 22.5x15x26cm/19.8x19.8x37cm






# Refrigerant Gas

## R407c

Refrigerant R407C is a mixture of hydrofluorocarbons used as a refrigerant. It is an azeotropic blend of R 32, R 125, and R 134a. Applications include residential and commercial air conditioning systems, non-flooded evaporator chillers, and some commercial refrigeration systems.



### Product Name: Mixed Refrigerant R407c

#### Physical Property:

- Molecular formula:R125/R134A/R32
- Constitute:tetrafluoroethane/  
Tetrafluoroethane/  
difluoromethane
- Molecular Weight:86.2
- Boiling Point, °C : -43.4
- Critical Temperature, °C:86.2
- Critical Pressure Mpa,:4.62
- GWP:0.17
- ODP:0

#### Cylinder Carton Dimension:

24.5x24.5x42.5cm

#### Quality Index:

- Purity,%≥99.8
- Moisture,PPm:≤10
- Acidity,PPm:≤1
- Vapor Residue,PPm:≤100
- Appearance:Colorless,No turbid
- Odor:no strange stench

**Packing:** Can of 650G ,Disposable cylinder 25lb/11.3kg; Recyclable cylinder 400L,800L,926L,1000L,ISO-Tank.


**Application:** Retrofitted Refrigerant for R22

**Packing details:** 1KG×15PCS

**Can Carton Dimension:** 41x25x27.5cm

## R410a

R410A is the leading HFC refrigerant for replacing R-22 in positive displacement residential and light commercial air-conditioning and heat pump systems. It has higher cooling capacity and significantly higher pressure than R-22 and an intrinsically low toxicity. Because it behaves like an azeotrope, it is easy to service in the field. And R410A should be used only in systems specifically designed for R-410A.



### Product Name: Mixed Refrigerant R410A

#### Physical Property:

- Molecular formula:R125/R32
- Constitute:pentafluoroethane/  
difluoromethane
- Molecular Weight:72.58
- Boiling Point, °C : -51.6
- Critical Temperature, °C:72.5
- Critical Pressure Mpa,:4.95
- GWP:0.2
- ODP:0

#### Cylinder Carton Dimension:

24.5x24.5x42.5cm

#### Quality Index:

- Purity,%≥99.8
- Moisture,PPm:≤10
- Acidity,PPm:≤1
- Vapor Residue,PPm:≤100
- Appearance:Colorless,No turbid
- Odor:no strange stench

**Packing:** Disposable cylinder 25lb/11.3kg;  
Recyclable cylinder 400L,800L,926L,1000L,ISO-Tank.

**Application:** Retrofitted Refrigerant for R22

**Packing details:** 1KG×15PCS

**Can Carton Dimension:** 41x25x27.5cm



# R600a

A kind of green refrigerant with high performance, derived from natural ingredients, no harm to the ozone layer, no greenhouse effect. Favored with excellent cooling performance, low energy consumption, slow recovery of load temperature, and compatible with all kinds of compressor. Colorless gas under room temperature, transparent liquid under its own pressure, a good substitute for R12.



## Product Name: Refrigerant R600a

### Physical Property:

- Molecular formula:(CH<sub>3</sub>)<sub>2</sub>CHCH<sub>3</sub>
- Constitute:Isobutane
- Molecular Weight:58.123
- Boiling Point,°C : -11.7
- Critical Temperature,°C:134.9
- Critical Pressure Mpa,:3.648
- GWP:3
- ODP:0

**Cylinder Carton Dimension:**  
24.5x24.5x42.5cm

### Quality Index:

- Purity,%≥99.5
- Moisture,PPm:≤10
- Acidity,PPm:≤1
- Vapor Residue,PPm:≤0.01
- Appearance:Colorless,No turbid
- Odor:no strange stench

**Packing:** Disposable cylinder 15lb/6.8kg;  
Recyclable cylinder 400L,800L,926L,1000L,ISO-Tank.

**Application:** Refrigerant,intermediate.



**Packing details:** N.W.120g×30PCS

**Can Carton Dimension:** 41.5x34.5x14.8cm



# R507a

R507A is an HFC blend designed to be a replacement for R502 in low and medium temperature refrigeration applications. It is similar in characteristics to R404A however, being an azeotropic blend, R507A does not suffer from glide or fractionation making it suitable for additional applications such as centrifugal compressors.



## Product Name: Mixed Refrigerant R507A

### Physical Property:

- Molecular formula:R125/R32
- Constitute:pentafluoroethane\ difluoromethane
- Molecular Weight:70.507
- Boiling Point,°C : -47.1
- Critical Temperature,°C:72.5
- Critical Pressure Mpa,:3.6696
- GWP:0.2
- ODP:0

### Quality Index:

- Purity,%≥98.859
- Moisture,PPm:≤10
- Acidity,PPm:≤0.1
- Vapor Residue,PPm:≤100
- Appearance:Colorless,No turbid
- Odor:no strange stench

**Packing:** Disposable cylinder 25lb/11.3kg;  
Recyclable cylinder 400l,800l,926L,1000l,ISO-Tank.

**Application:** Retrofitted Refrigerant for R502

**Carton Dimension:** 24.5x24.5x42.5cm



# Refrigerant Gas

## R417a

R417A, is an HFC retrofit refrigerant for R22 in direct expansion stationary air conditioning (AC) and medium temperature commercial refrigeration systems.



### Product Name: Refrigerant R417a

#### Physical Property:

- Molecular Weight: 106.746
- Boiling Point, °C : -41.8
- Critical Temperature, °C :87.268
- Critical Pressure Mpa, :4.045
- GWP: 1950
- ODP: 0

#### Carton Dimension:

24.5x24.5x42.5cm

#### Quality Index:

- Purity, %  $\geq 99.8$
- Moisture, PPM:  $\leq 10$
- Acidity, PPM:  $\leq 0.1$
- Vapor Residue, PPM:  $\leq 100$
- Appearance: Colorless, No turbid
- Odor: no strange stench

**Packing:** disposable cylinder 25lb/11.3kg, recyclable cylinder 800L(800KG), 926L(1000KG)

**Application:** Home and business air-conditioning system, at mesophilic temperature refrigeration. Widely used in super market showcase and food store.

## R415B

Mixed refrigerant gas R415B is a new type of environment friendly refrigerant gas, which is used in refrigerator, auto air conditioner and so on. It is used to replace R12 and R134a.



### Product Name: Mixed Refrigerant R415B

#### Physical Property:

- Molecular Weight: 70.19
- Boiling Point, °C : -34.5
- Critical Temperature, °C :111.37
- Critical Pressure Mpa, :4.65
- GWP: 0
- ODP: 0.039, :4.95
- GWP: 0.2
- ODP: 0

#### Quality Index:

- Purity, %  $\geq 99.8$
- Moisture, PPM:  $\leq 10$
- Acidity, PPM:  $\leq 0.1$
- Vapor Residue, PPM:  $\leq 100$
- Appearance: Colorless, No turbid
- Odor: no strange stench

**Packing:** disposable cylinder 26lb/12kg, recyclable cylinder 926L(1000KG)

**Application:** Replaces R12, R22

**Carton Dimension:** 24.5x24.5x42.5cm



# R409a

R409A, is an HCFC blend designed for retrofitting R12 systems. It is especially aimed at medium and high temperature direct expansion refrigeration and air conditioning systems evaporating at  $-15^{\circ}\text{C}$  and above.



## Product Name: Refrigerant R409a

### Physical Property:

- Molecular Weight: 97.4
- Boiling Point,  $^{\circ}\text{C}$  : -34.5
- Critical Temperature,  $^{\circ}\text{C}$ :106.8
- Critical Pressure Mpa,:4.69
- GWP:0
- ODP:0.039
- GWP:3
- ODP:0

### Quality Index:

- Purity, %  $\geq 99.8$
- Moisture, Ppm:  $\leq 10$
- Acidity, Ppm:  $\leq 0.1$
- Vapor Residue, Ppm:  $\leq 100$
- Appearance: Colorless, No turbid
- Odor: no strange stench


**Packing:** disposable cylinder 30lb/13.6kg, recyclable cylinder 926L(1000KG)

**Application:** Replaces R12

**Carton Dimension:** 24.5x24.5x42.5cm

# R406a

R406a is a mixture of three components chlorodifluoromethane (R-22), isobutane (R-600a) and chlorodifluoroethane (R-142b) in the ratio 55/4/41. This refrigerant was designed as a drop-in replacement for R-12 which is compatible with the typical mineral oil lubricants used in R-12 systems. Since it is a zeotropic mixture, it has a range of boiling points which may increase the effectiveness of the heat transfer elements in refrigeration equipment.



## Product Name: Mixed Refrigerant R406A

### Physical Property:

- Molecular Weight: 89.86
- Boiling Point,  $^{\circ}\text{C}$  : -32.7
- Critical Temperature,  $^{\circ}\text{C}$ :116.5
- Critical Pressure Mpa,:4.88
- GWP:0.19
- ODP:0.036

### Quality Index:

- Purity, %  $\geq 99.8$
- Moisture, Ppm:  $\leq 10$
- Acidity, Ppm:  $\leq 0.1$
- Vapor Residue, Ppm:  $\leq 100$
- Appearance: Colorless, No turbid
- Odor: no strange stench

**Packing:** disposable cylinder 30lb/13.6kg, recyclable cylinder 926L(1000KG)

**Application:** Replaces R12, R502

**Carton Dimension:** 24.5x24.5x42.5cm



# Refrigerant Gas

## R402a

R402A, is an HCFC blend with a small amount of hydrocarbon included to improve mineral oil compatibility. The blend is designed to be a retrofit replacement for R502 in low and medium temperature refrigeration applications.



### Product Name: Refrigerant R402a

#### Physical Property:

- Molecular Weight:101.55
- Boiling Point, °C : -46.5
- Critical Temperature, °C:75.86
- Critical Pressure Mpa,:4.22
- GWP:2700
- ODP:0.13
- GWP:3
- ODP:0

#### Quality Index:

- Purity,%  $\geq 98$ .
- Moisture,PPm:  $\leq 10$
- Acidity,PPm:  $\leq 0.1$
- Vapor Residue,PPm:  $\leq 100$
- Appearance:Colorless,No turbid
- Odor:no strange stench


**Packing:** Disposable cylinder 25lb/11.3kg; Recyclable cylinder 926L(1000kg)ISO-Tank.

**Application:** Retrofitted Refrigerant for R12,R-22

**Carton Dimension:** 24.5x24.5x42.5cm

## R401a

R401A, is an HCFC blend designed for retrofitting R12 systems. It is especially aimed at medium and high temperature direct expansion refrigeration and air conditioning systems evaporating at  $-15^{\circ}\text{C}$  and above.



### Product Name: Mixed Refrigerant R401A

#### Physical Property:

- Molecular Weight: 94.438
- Boiling Point, °C : -46.5
- Critical Temperature, °C:107.34
- Critical Pressure Mpa,:4.607
- GWP:3800
- ODP:0

#### Quality Index:

- Purity,%  $\geq 99.8$
- Moisture,PPm:  $\leq 10$
- Acidity,PPm:  $\leq 0.1$
- Vapor Residue,PPm:  $\leq 100$
- Appearance:Colorless,No turbid
- Odor:no strange stench

**Packing:** disposable dyllinder 30lb/13.6kg, recyclable cylinder 926L(1000KG)

**Application:** Replaces R12,R502

**Carton Dimension:** 24.5x24.5x42.5cm

# R-32

is increasingly gaining favour as a low temperature refrigerant and as a replacement gas in some R410A applications. R32 has a low GWP, providing a lower carbon footprint than most other HFCs.



## Product Name: Refrigerant R32

### Physical Property:

- Molecular Weight: 52.02
- Boiling Point, °C : -51.7
- Critical Temperature, °C :78.2
- Critical Pressure Mpa, :5.8
- GWP:550
- ODP:0

### Carton Dimension:

24.5x24.5x42.5cm

### Quality Index:

- Purity, % ≥99.9
- Moisture, PPM: ≤10
- Acidity, PPM: ≤0.1
- Vapor Residue, PPM: ≤100
- Appearance: Colorless, No turbid
- Odor: no strange stench

**Packing:** disposable cylinder 22lb/10kg;

Recyclable cylinder 400L, 800L, 926L (720KG), 1000L, ISO-TANK.

**Application:** Replacement part of R22, mixture refrigeration materials

# R290

is refrigerant grade propane, a natural, or "not in kind", refrigerant suitable for use in a range of refrigeration and air conditioning applications. The use of R290 is increasing due to its low environmental impact and excellent thermodynamic performance. It is non-toxic with zero ODP (Ozone Depletion Potential) and very low GWP (Global Warming Potential). It is a flammable refrigerant and therefore not suitable for retrofitting existing fluorocarbon refrigerant systems.



## Product Name: Mixed Refrigerant R290

### Physical Property:

- Molecular Weight: 44.9
- Boiling Point, °C : -42.2
- Critical Temperature, °C :96.67
- Critical Pressure Mpa, :4.25
- GWP:0.01
- ODP:0

### Quality Index:

- Purity, % ≥99.8
- Moisture, PPM: ≤10
- Acidity, PPM: ≤1
- Vapor Residue, PPM: ≤100
- Appearance: Colorless, No turbid
- Odor: no strange stench

**Packing:** Disposable cylinder 5kg, 25lb/11.3kg;

Recyclable cylinder 400L, 800L, 926L, 1000L, ISO-Tank.

**Application:** Retrofitted Refrigerant for R22

**Carton Dimension:** 24.5x24.5x42.5cm

**HOT**



Valves




## Product Name: Helium Balloon Gas

Size	22.3L	13.4L	13.4L	6.8L
<b>Gas Volume</b>	0.42m <sup>3</sup>	0.42m <sup>3</sup>	0.25m <sup>3</sup>	0.25m <sup>3</sup>
<b>Working Pressure</b>	18bar	28bar	18bar	28bar
<b>Weight</b>	5.1kg	4.1kg	3.2kg	2.5kg
<b>Balloon Quantity</b>	50PCS(9")	50PCS(9")	30PCS(9")	30PCS(9")
<b>Ribbon</b>	60 meters	60 meters	40 meters	40 meters
<b>Packing Size</b>	30.5x30.5x45.2cm	24.5x24.5x42.5cm	24.5x24.5x42.5cm	19.5x19.5x37cm
<b>20' FCL Filling(PCS)</b>	650	1100	1100	1900
<b>40' FCL Filling(PCS)</b>	1600	2600	2600	4600



## REFRIGERANT 134a

<b>A</b>	N.W.:250G	G.W.:310G	30PCS	<b>Carton Dimension: 42x35.5x16.8cm</b>
<b>B</b>	N.W.:300G	G.W.:360G	30PCS	<b>Carton Dimension: 42x35.5x16.8cm</b>
<b>C</b>	N.W.:200G	G.W.:300G	30PCS	<b>Carton Dimension: 41.5x34.5x15.5cm</b>
<b>D</b>	N.W.:250G	G.W.:350G	30PCS	<b>Carton Dimension: 41.5x34.5x15.5cm</b>
<b>E</b>	N.W.:300G	G.W.:360G	30PCS	<b>Carton Dimension: 41.5x34.5x15.5cm</b>
<b>F</b>	N.W.:200G	G.W.:300G	30PCS	<b>Carton Dimension: 37.5x31.5x14cm</b>
<b>G</b>	N.W.:800G	G.W.:1000G	12PCS	<b>Carton Dimension: 30.5x23.5x26.5cm</b>
<b>H</b>	N.W.:680G	G.W.:800G	15PCS	<b>Carton Dimension: 42x35.5x21.5cm</b>



- 1 R134a valves(m14\*1.25)
- 2 R134a valves(m14\*1.25)
- 3 M12 valves(m12\*1.25)
- 4 M12 valves(m12\*1.25)
- 5 U.S.A valves(2/5"-20)
- 6 Recycle valves(7/16"-27 U.K.)
- 7 U.K. valves(7/16"-27)
- 8 R134a valves(1/2"-16 U.S.A.)DOT



## Super refrigerant 134a

- Three advantage:
1. With Theromolube protective agent.
  2. With PAG refrigerant oil
  3. With UV fluorescent agent

**N.W.:250G G.W.:350G 30PCS**  
**Carton Dimension: 41.5x34.5x15.3cm**



## REFRIGERANT 134a

**Packing details:**  
**N.W.: 300G G.W.:390G 24PCS**  
**Carton Dimension: 46x30.8x13.6cm**

## Fluorescent Light Fit With Fluorescent Glass

- Corrosion Resistant
- Water Resistant
- Shock Resistant
- Superbright
- Waterproof
- Precise Focusing Beam
- Long-Range
- Including: Spare bulb

**I N.W.: 60ml 100PCS**  
**Carton Dimension: 42x21x17.2cm**  
**J Packing Details: 1x12PCS** **Carton Dimension: 25.5x21.5x21cm**





# A/C System

## Air Conditioner Freshener Kit



This products has been formulated to quickly and effectively remove foul, musty odors from automobile air conditioning system. It will freshener foul-smelling system by killing odor-producing organisms . Powerful deodorizers keep the automobile interiors smelling fresh and clean.

**Packing details: 150mlx12PCS**  
**Carton Dimension: 21.5x16.5x15cm**

## Coil cleaner

### Coil Cleaner

- \*Can be rinsed away with water.
- \*Great for cleaning inaccessible fin areas.
- \*Leaves aluminum and copper clean and bright.
- \*Cleans away dulling oxide film.
- \*Is a heavy-duty, pink colored, acid coil cleaner.
- Coil Safe**
- \*Safe on aluminum and copper.
- \*Cleans and brightens all metal parts.
- \*Contains inhibitors to prevent metal fatigue.
- \*Non-acid, non-alkaline, neutral pH.
- \*Is a traditional green colored coil cleaner.



**Packing details: 3.785Lx4PCS**  
**Carton Dimension: 31.5x31x32.5cm**

## Air conditioner condensor cleaner

1. This item is made by a high environmental protection formula, with main functions of cleaning, deodorizing and sterilizing.
2. Easy to clean the dust and harmful substances like molds, which deposited on the duct and evaporator of the air conditioning.
3. Increasing air volume and cooling effect of the air conditioner and saving oil.
4. With unique antibacterial effect, it can be used to prevent air conditioning disease and respiratory disease.

**Packing details: 500 mlx24pcs**  
**Carton Dimension: 41.5x28x25cm**



## AUTO AIR CONDITIONER CLEANER

Bitop air conditioner cleaner sprays are designed to clean and refresh the car air conditioning ventilation system. They help to eliminate the bacteria and unpleasant smell. Can be used in all types of car.

- A** Packing details: 500mlx24PCS  
Carton Dimension: 42X28X24.5cm
- B** Packing details: 1Lx12PCS  
Carton Dimension: 36.7X26.8X22.7cm
- C D** Packing details: 1x24PCS  
Carton Dimension: 42X29X20.5cm

## A/C stop leak

1. Extend the use time of the compressor.
2. Reducing the conditioner outlet temperature 2-3 degrees in a short time, increase the comfort of the driving environment.
3. Reducing the load of engine and save the fuel.
4. Reducing noise and decreasing temperature which from the working compressor.
5. Use to eliminate the grease dirt, which coming from condenser, evaporation and pipeline.
6. Prevent corrosion of the cooling system and improve oxidation resistance.

**Packing details: 80gx24pcs/shrink wrap,96PCS/CTN**  
**Carton Dimension: 39.5x28x33cm**



## A/C system rejuvenator

Additional formula specially designed for old vehicles. Improve the refrigeration capacity of the air conditioner, extend the life of the air conditioner system by reducing compressor wear, and prevent the leakage of rubber gaskets, hoses and o-rings when adjusting the seal to prevent future problems.

**REVLITALIZES A/C COOLING CAPACITY**  
**STOPS LEAKS & CONDITIONS SEALS**  
**REDUCES A/C SYSTEM IMPURITIES**

**Packing details: 85gx24pcs**  
**Carton Dimension: 38x25.5x18cm**



## Anti Rust Lubricant

Anti rust lubricant can be widely used in places with inconvenience caused by rust, such like automobiles, ships, households, factories and electric rooms etc.

1. Infiltrates the areas of rusted parts in a short time.
2. Eliminates the noise caused by rubbing between spare parts or movable fittings.
3. Lubricates and cleans to protect all kinds of machines, removing humidity and preventing rusting.

**Packing details:**  
**100mlx48PCS/191mlx24PCS/333mlx24PCS**  
**Carton Dimension:**  
**43.8x33.5x15.5cm/33.5x22.5x20.5cm/41.5x28x20.8cm**



## Air Conditioning Disinfectant

Bitop air conditioner disinfectant effectively eliminates odors at its. Source caused by bacteria mold and mildew in the system. It cleans and deodorizes auto HVAC system including vents ducts evaporator core and drain pan and leave a clean fresh scent. Spray in through cowl vents first while system is running. Shut off system and use accuse cap and spray straw to spray directly in to vents inside the vehicle.

**Packing details:**  
**450mlx24PCS / 550mlx24PCS**  
**Carton Dimension:**  
**41.5x27.7x20.5cm / 41.5x27.7x26.5cm**



## Mapp Gas/Gun



Mapp gas is a mixture of various hydrocarbons, principally, methylacetylene, propadiene and Propane (MAPP). It produces a relatively hot flame (2,976°C) with a high heat release in the primary flame (inner cone) (15,445kJ/m<sup>3</sup>), less than for acetylene (18,890kJ/m<sup>3</sup>) but much higher than for propane (10,433kJ/m<sup>3</sup>). The secondary flame (outer cone) also gives off a high heat release, similar to propane and natural gas. The combination of a lower flame temperature, more distributed heat source and larger gas flows compared with acetylene results in a substantially slower pierce time.

**Packing details.: 14.82oz/420gm per cylinder 12PCS**  
**Carton Dimension: 46x17x29cm**

## Camping Gas

### Features:

1. Tank bottom high pressure buffer technology
2. Resistant to high cold and high altitude
3. International explosion-proof air outlet
4. Burn more fully and for a longer time
5. High purity gas formula



**A N.W.: 110g, 90x70mm, 24PCS**  
**Carton Dimension: 37x28x16cm**

**B N.W.: 230g, 110x90mm, 24PCS**  
**Carton Dimension: 45x34x20cm**

**C N.W.: 450g, 110x145mm, 24PCS**  
**Carton Dimension: 45x34x31cm**



## Compressor oil (PAG/POE)

1. It's an advanced synthetic oil which plays optimal performance in the refrigeration system of car air-conditioner.
2. It's suitable for working with HFC refrigerant R134a.
3. PAG Viscosity: 46, 68, 100, 125;  
 POE Viscosity: 46, 68, 100, 125.

**A N.W.: 70G 30PCS**  
**Carton Dimension: 27.8x23.3x13cm**  
**D Size.: 1L 12PCS**  
**Carton Dimension: 35x25x24cm**

**B Size.: 1L 12PCS**  
**Carton Dimension: 35.5x26.5x15.5cm**  
**E Size.: 1L 12PCS**  
**Carton Dimension: 31x30x22.8cm**

**C Size.: 1L 12PCS**  
**Carton Dimension: 38x25.5x22cm**

## Air duster

### Description:

Air duster is an effective tool for removing dust and other contaminants from hard-to-reach areas in a multitude of settings including home, office, laboratories, and workshops.

### Applications:

- Removes dust, lint and other contaminants from hard to reach areas
- Ideal for cleaning CPUs, keyboards, computer mice, and workstations
- Also great for cleaning items around the home including collectibles, figurines and window blinds
- Delivers pure moisture free blasts
- 100% Ozone safe, contains no CFCs, HCFCs, Propane or Butane
- Contains a bitterant to discourage inhalant abuse

### Constitute gas you can select:

Available R134a, R152a, DME gas, y1234zegas (y1234ze gas is a new type materials for duster remover and the most important is up to VOCs standards that will become mainstream in coming near future.)

**Packing details:**  
 450mlx24PCS  
**Carton Dimension:**  
 42x28x21.5cm  
**Volume:**  
 250ml/300ml/350ml/400ml or as you required

25.5x21.5x21cm

## Screen Cleaner Kit



**Contains:**  
**Air Duster x 1**  
**Screen Cleaner x 1**

### Packing Details:

Inner: 1x5PCS, Outer: 5x4PCS  
**Carton Dimension:**  
 Inner: 31.5x16.5x26.5cm  
 Outer: 64.5x34.5x28cm



# Car care products

## Fuel Injector Cleaner

- (1) cleaner fuel system deposits
- (2) improves fuel/air ratio balanced



**Expiration Date: 3Years**  
**Model Number: HF8007**  
**Packing details: 320ml×24PCS**  
**Carton Dimension: 33.5x23.5x19.5cm**

## Engine Treatment

Haifei Engine Treatment is an additive for engine oil to help to form a protection film on surface of engine. It will reduce friction and noise of the engine, prolong the lifespan of engine and engine oil.



**Expiration Date: 3Years**  
**Model Number: HF8008**  
**Packing details: 320ml×24PCS**  
**Carton Dimension: 33.5x23.5x19.5cm**

## FUEL SYSTEM CLEANER

HAIFEI Fuel System Cleaner remove carbon deposit on the surface of injector, intake valve and combustion chamber and improve the fuel atomization, increase the combustion efficiency, solve the problems such as unstable idle speed, power shortage



**Expiration Date: 3Years**  
**Model Number: HF8004**  
**packing details: 320ml×24PCS**  
**Carton Dimension: 33.5x23.5x19.5cm**

## AIR INTAKE CLEANER

HAIFEI Air Intake System Cleaner can remove the sediment of the choke, throttle, idle air control valve. Restoring the right mixture of oil and gas. To improve combustion efficiency, increase power, save fuel and reduce emissions. Lubricated air intake system parts and the air intake parts to prevent rust.



**Expiration Date: 3Years**  
**Model Number: HF8005**  
**Packing details: 320ml×24PCS**  
**Carton Dimension: 33.5x23.5x19.5cm**

## CATALYTIC CONVERTER CLEANER

HAIFEI Catalytic Converter Cleaner can Quickly cleaning the chemical complex such as sulfur carbon, phosphorus on the surface of three-way catalytic to improve Engine performance and fuel efficiency.



**Expiration Date: 3Years**  
**Model Number: HF8006**  
**Packing details: 450ml×24PCS**  
**Carton Dimension: 38.2x35x20cm**

## CARBURETOR CLEANER

HAIFEI Carburetor Cleaner can effectively remove greasy dirt, gum, and carbon deposits on PVC valve, ERG valve, choke and other parts to enhance combustion efficiency, help you to save oil and decrease the gas pollution.



**Expiration Date: 3Years**  
**Model Number: HF1001**  
**Packing details: 450ml×24PCS**  
**Carton Dimension: 41.5x27.7x20.8cm**

## PAINT STRIPPER

This product is a peel-type paint remover, efficient technology formula, paint stripping, prompt and thorough, removal ability, easy to use. For a variety of film all have a good effect, paint stripping, easy to clean and does not affect the re-painting. Applies in particular to self-dry alkyd, amino paint as well as some low-temperature curing two-component epoxy and the removal of paint film.



**Expiration Date: 3Years**  
**Model Number: HF1004**  
**Packing details: 450ml×24PCS**  
**Carton Dimension: 41.5x27.7x20.3cm**

## DASHBOARD AND LEATHER WAX

HAIFEI Dashboard and Leather Wax helps to protect dashboard and leather and from fading, wrinkling and aging, and provides a glossy finish. Also effectively prevents the dusts generated by static electricity.



**Fragrance: strawberry,lemon,rose, vanilla,jasmine,lavender, etc.**  
**Expiration Date: 3Years**  
**Model Number: HF1002**  
**Packing details: 450ml×24PCS**  
**Carton Dimension: 41.5x27.7x20.8cm**

## PITCH CLEANER

HAIFEI Pitch Cleaner can effectively clear away pitch, grease and smudges on metals, wheels and auto's coatings without any damage to paints films and glass



**Expiration Date: 3Years**  
**Model Number: HF1003**  
**Packing details: 450ml×24PCS**  
**Carton Dimension: 41.5x27.7x20.8cm**

## ANTI-MIST WINDSHIELD WASHER FLUID

HAIFEI Anti-Mist Windshield Spray is specially formulated to eliminate the mist on glass which may occur at bad weather or when ambient temperature differs greatly. It can make glass clean, clear and transparent to ensure driving security.



**Expiration Date: 3Years**  
**Model Number: HF1005**  
**Packing details: 450ml×24PCS**  
**Carton Dimension: 41.5x27.7x20.3cm**

## STARTING FLUIDS

HAIFEI Starting Fluid is designed for quick and easy starting engine in cold, wet and freezing weather. It has features of easy operation, fast starting, low ignition point, engine friendly, and no knock-ing to the engine.



**Expiration Date: 3Years**  
**Model Number: HF1006**  
**Packing details: 450ml×24PCS**  
**Carton Dimension: 41.5x27.7x20.3cm**

## BRAKE PARTS CLEANER

HAIFEI Brake Part Cleaner can safely, easily, and quickly remove the asbestos, metal powders on brake systems, and recover the capability of the brakes. It can be widely used in vehicle servicing and machinery maintenance.



**Expiration Date: 3Years**  
**Model Number: HF1007**  
**Packing details: 450ml×24PCS**  
**Carton Dimension: 41.5x27.7x20.8cm**

### SUPER OIL TREATMENT



HAIFEI super oil treatment contain the latest advanced engine additive. includes super additive, persistent lubricant and anti corrosion etc. It can improve the lubricating oil viscosity coefficient, effectively prevent the direct intermetal friction, makes the engine achieve best protection.

**Expiration Date: 3Years**  
**Model Number: HF1019**  
**packing details: 443ml×24PCS**  
**Carton Dimension: 42x28x16.8cm**

### MOTOR FLUSH



HAIFEI Motor flush can quickly clean the char impurity and oxidation sediment which exist on the surface of crankcase, piston, ringer, and etc. It can improve the efficiency and prolongs the working life of car engine.

**Expiration Date: 3Years**  
**Model Number: HF1013**  
**packing details: 443ml×24PCS**  
**Carton Dimension: 42x28x16.8cm**

### MULTI-PURPOSE FOAM CLEANER



HAIFEI All purpose foam cleaner is perfect for cleaning any washable or painted surface. Deep cleaning foaming action lifts dirt and helps to restore true color and appearance for auto, boat & home.

**Expiration Date: 3Years**  
**Model Number: HF1004**  
**packing details: 650ml×24PCS**  
**Carton Dimension: 41.5x27.7x29.5cm**

### Brake Parts Cleaner

Brake Cleaner will safely, easily, and quickly removes the brake dust and metal powder from brakes, and restore the capability to your brakes.

**Packing details: 1x24PCS Carton Dimension: 45x35x32cm**



### ENGINE SURFACE DEGREASER



HAIFEI Engine Surface Degreaser has good performance in econtaminating, fragrant smelling and easy operating. This product can be applied to remove the dirty oil stain on the engine Surface quickly and not damage the rubber, plastic and paint.

**Expiration Date: 3Years**  
**Model Number: HF1009**  
**packing details: 650ml×24PCS**  
**Carton Dimension: 41.5x27.7x29cm**

### Engine Oil Mightiness Cleaner



Using this products, it can rapidly penetrate into the stains, then quickly emulsify the stains. It could remove the strong stains like oil stains from the surface within 2-5 minutes. And this product is the green product, not flammable in the process of cleaning and make no pollution. It's safe, convenient, suitable for cleaning the car engine surface, generator sets, air conditioners or other metal products, plastic surface cleaning. And it's specially used for cleaning the strong oil stains on the surface.

**Packing details: 500ml×24PCS**  
**Carton Dimension: 44.5x31x23cm**

### TIRE FOAM POLISH



HAIFEI Tire Foam Polish can quickly provide a protective film on the surface of the tyre that have a specific function of decontamination, glazing and protection in one time.

**Expiration Date: 3Years**  
**Model Number: HF1010**  
**packing details: 650ml×24PCS**  
**Carton Dimension: 41.5x27.7x29cm**

### UNDERCAOT & RUSTPROOF



**Expiration Date: 3Years**  
**Model Number: HF1011 HF1018**  
**packing details: 2L×6PCS 1L×12PCS**  
**Carton Dimension: 1L: 36x27x26.2cm**  
**2L: 35.5x23.5x26cm**

### Undercaot&Rustproof Spray




This product use special high polymer material, it's a fast dry high elastic coating, it also adopts the USA formula and technology, it has great ability on anti-rust & waterproof, sound insulation, stop leaking, fix up, bumping resist and etc. It has super and long lasting protect function. can improve the safe coefficient effectively. Widely used for various kinds of vehicles, carriage and industrial field.

**Packing details: 650ml×24PCS**  
**Carton Dimension: 41.5x27.7x29.5cm**





# Car care products



## Multifunctional gasoline additive



### Product efficacy:

Enhance power, reduce fuel consumption, stabilize idle speed, reduce noise; clean exhaust gas, protect and extend engine life.

### Application method:

Add this product before filling the gasoline.

**Packing details: 350mlx22PCS**  
**Carton Dimension: 33.5X22.2X21.5cm**

## Throttle plate cleaner



Throttle plate cleaner can effectively clean and lubricate throttle valve assembly and prevent throttle plate from rust and corrosion. It quickly solves the problem such as idle instability, speedy slow, knock and increased fuel consumption. Not harm to oxygen sensor.

**Packing details: 250mlx48PCS**  
**Carton Dimension: 48x35.5x17.5cm**

## AIR & FUEL RATIO ADJUSTING FLUID



This product can quickly remove the carbon sludge on the surface of the combustion chamber and make the air inlet smooth. Restore the normal air-fuel ratio and stably restore the cylinder pressure of the combustion chamber

Remove carbon Reducing pressure Return back to normal F/A

**Packing details: 200mlx24PCS**  
**Carton Dimension: 32.5x22.5x18cm**

## Silicone Sealant



Silicone Sealant is a one part, acetic cure, fast cure sealant specially formulated for use in general glazing and sealing applications. It offer a long term durability in a range of high performance sealing, glazing, waterproofing and weatherproofing applications. And also appropriate for car.

**Expiration Date: 3Years**

**Model Number: HF8003**

**Packing details: 88gx30PCS**

**Carton Dimension: 26.5x21x18.3cm**

## Pneumatic tire inflator




This is tire emergency treasure and it is designed for emergency use of tire leakage and binding nail. It will quickly repair and inflate the tied part of the tire after using. And it also can be used as daily emergency fire stopper.

**Packing details: 980mlx15PCS**  
**Carton Dimension: 41X25X32.5cm**



## Auto Air Guardian

- 1.Safe and efficient environmental protection formula
- 2.It is effectively restrain bacteria ,virused and remove dirt , carbon deposition of dirt for air conditioner .
- 3.To improve the air conditioner sytem .



Packing details: 1×10PCS Carton Dimension: 43.5x30x35cm

### Cooling System Flush

One step formula helps quickly remove harmful grease, rust, sludge scum and scale. Contains no acids it can prevent overheating harmless to systems metal and rubber parts. Keeps entire cooling system clean and running efficiently.



Packing details: 325ml×24PCS  
Carton Dimension: 43x28.5x15cm

### Cooling System Leak Stopper

It contains natural plant fibre efficient firming agent, anti foam agent, anti-rust and anti corrosive agent which car prevent the leakage of water tank in cooling system. Warm air cooler water pump in cylinder block, water block, cylinder sleeve and other parts, it will not block the passage of warm air cooler and does not harm to all parts in cooling system thus prolonging the life expectancy of water tank saving the time and costs of repairing. It suitable to add all kinds of anti-freeze and coolant.



Packing details: 325ml×24PCS  
Carton Dimension: 43x28.5x15cm

### Long life coolant

It is an efficient additive to protect automobile engine against freezing and overheating. It is rust, corrosion and foam resistant, harmless to metal, plastic and rubber parts.



Expiration Date: 3Years  
Packing details: 2L × 10PCS  
Carton Dimension: 43x37x24cm

### Coolant Antifreeze

Antifreeze/Coolant is an ethylene glycol base antifreeze containing inhibitors providing protection from freezing, overheating, rust and corrosion when used as recommended. It protects all cooling system metal surfaces including aluminum.

Product number index:

-15℃ -25℃ -35℃ -45℃

Packing details: 2Lx10PCS / 4Lx6PCS

Carton Dimension: 41x37x25.5cm / 44.5x32x30.8cm





## High-performance car coating



HONOUR ENJOY COATING  
晶亮結水晶品

### CONDENSATION KIT



HONOUR ENJOY COATING  
尊享高硬塗品

### HARDNESS KIT



HONOUR ENJOY COATING  
尊享高硬度結水晶品

### CONDENSATION X KIT




HONOUR GLASS COATING  
玻璃膜品 (瓶裝)

### FLUOROPOLYMER KIT



HONOUR ENJOY COATING  
尊享高硬結水晶塗品

### CONDENSATION SP KIT



HONOUR ENJOY COATING  
尊享高硬結水晶塗品

### CONDENSATION S KIT

1. Unparalleled luster.
2. Absolute protection against soiling (nano tech, hydrophobic, durable).
3. Incredibly long-lasting .
4. Quick and easy application can be done by anyone.
5. High-performance car coating developed for high-end cars like Mercedes Benz, Porsche or Ferrari.
6. Applications: Car body, polyurethane parts, wheels

Packing details: 10PCS

Carton Dimension:

57.5X29X29.5cm / 57.5X29X23.3cm / 57.5X29X23.5cm



### CAR FILM POLISHING AGENT KITS

# CAR CLEANING AND WASHING

Packing details:

4Lx4PCS

Carton Dimension:

41.8x20.5x31.5cm



# CAR POLISHING AGENT



Packing details:

500mlx12PCS


Carton Dimension:

29x22x25cm

Packing details: 450mlx24PCS / 550mlx24PCS Carton Dimension: 41.5x27.7x20.5cm / 41.5x27.7x26.5cm

# Hard wax

This product is composed of carnauba wax, essential oil and other natural material, be traditional handmade mixed, grade-one carnauba Wax is approximately 40% in volume, using this wax on car paint has function of high gloss, abrasion resistance, water repellency, anti-UV. Slow down the cracking, aging and fading of car paint, often use to make the paint full color, luster and translucent, extend the service life. Particularly suitable for the maintenance of high-grade car paint polish and the renovation of old cars.



**A** Packing details: 200gx24PCS  
Carton Dimension: 35.5x27x21cm

**B** Packing details: 200gx24PCS  
Carton Dimension: 44x41x15cm

**C** Packing details: 200gx20PCS  
Carton Dimension: 66.5x27x19.3cm



# Household cleaning



## TILE & GROUT CLEANER

Scale and rust, yellowing of ceramic tiles, toilet dirt, black scale in crevices, decoration paint, residual glue, moldy moss, paint and other stains

**Packing details: 500mlx24PCS**  
**Carton Dimension: 51X31.2X22cm**



## ALL-PURPOSE CLEANER

Suitable for cleaning glass, hand-rails, plastic parts, kitchen stoves, wall tiles, artificial leather, woven products, light oil stains on metal surfaces, etc.

**Packing details: 500mlx24PCS**  
**Carton Dimension: 51X31.2X22cm**



## MOLD & MILDEW STAIN REMOVER

For attics, bathrooms, boats, driveways, decks, fences, gutters, kitchens, roofs, showers, tiles, siding, shower walls, toilet bowls, bathtubs, drywall, stainless steel sinks, kitchen and bath tile, septic tanks, fences.

**Packing details: 500mlx24PCS**  
**Carton Dimension: 51X31.2X22cm**



## ELECTRONIC CLEANER

It is suitable for cleaning the anti-rust paste on molds or other metal surfaces. Completely volatilized, leaving no traces, and no corrosion to the metal surface. Non-toxic, no harsh irritating smell, harmless to human body.

**Packing details: 550mlx24PCS**  
**Carton Dimension: 41.5X27.7X20.8cm**



## KITCHEN DEGREASER

Use to clean stove top, back splash, kitchen counter & cabinets, oven, sink, and microwave.

**Packing details: 450mlx24PCS**  
**Carton Dimension: 40X27X21.3cm**  
**Packing details: 500mlx24PCS**  
**Carton Dimension: 51X31.2X22cm**



## HEAVY WATER STAIN REMOVER

It can be applied to bathroom glass, faucet, washbasin, ceramic tile wall, metal stainless steel, countertop, bathtub/shower, toilet.

**Packing details: 500mlx24PCS**  
**Carton Dimension: 51X31.2X22cm**



## LAUNDRY STAIN REMOVER

It is suitable for polyester, chiffon, cotton, linen and other chemical fiber materials, but not for silk, down, wool, leather etc.

**Packing details: 500mlx24PCS**  
**Carton Dimension: 51X31.2X22cm**



## WATER PROOFING SPRAY

Waterproof leak-trapping glue is a high-performance new high-tech product that integrates inorganic, alkali-free, waterproof, moisture-proof, crack-resistant, impermeable, and leak-proofing.

**Packing details: 550ml/750mlx24PCS**  
**Carton Dimension: 42X28X25cm**

# Lubricant and oils



## BRAKE FLUID DOT3/DOT4/DOT5.1

DOT-3, DOT-4 and DOT-5.1 are the brake fluids with high grade ,heavy duty ,high in performance, it is fully synthetic and contains antioxidants and corrosion inhibitor, which ensure long service life .The fluid has a high boiling point, which eliminates any possibilities of vapor lock problem under severe working conditions. The fluid has low pour point characteristics and can be easily used for vehicles running at low temperature.

**Expiration Date: 3Years**

**Packing details: 750gx20PCS**

**Carton Dimension: 44.5X32X24cm**



## ATF-220/330

Excellent quality as original U.S.A. brands and reasonable price of Automatic Transmission Fluid (Dexron III) is your best choice. The multi-purpose, high performance automatic transmission fluid Meets DEXRON-III(General Motors) and MERCON(FORD Motor) Specifications. It is also recommended for power steering and hydraulic systems requiring Allison C-3, C-4 and Caterpillar TO-2 type fluids. Also can operate well in low temperature(-35°C)

**Expiration Date: 3Years**

**Packing details: 1Lx12PCS**

**Carton Dimension: 31X26X23cm**



## GEAR LUBE

Gear oil is an automotive gear lubricant containing sulphur phosphorous EP (extreme pressure) additives. This gear oil is specially recommended for synchromesh transmissions where they provide extra protection from service loads. This lubricant also ensures smooth gear changes and reliable operation. They meet and exceed API service classification GL-4

**Expiration Date: 3Years**

**Model Number: HF2008/HF2010**

**Packing details: 1Lx12PCS/2Lx10PCS/4Lx6PCS**

**Carton Dimension: 33.2x25x23cm/46x35x24.5cm/46x31.5x30.5cm**

**SAE SYNTHETIC 75W-90**



## Power Steering Fluid

Blended with base oil and balanced additive package to provide oxidation stability, anti-foam and seal/hose compatibility Helps maintain efficiency, performance and condition of power steering units Contains unique friction modifier additive that has been shown to reduce power steering pump noise (squeal)

**Expiration Date: 3Years**

**Packing details: 1Lx12PCS**

**Carton Dimension: 35x25x24.3cm**



## Automatic Transmission Fluid Series

**Variety:**

**ATF-IIIH / ATF-6SP / ATF-6HP / ATF-7G / ATF-8 / CVTF / CVTF-B / DCTF**

**Expiration Date: 3Years**

**Packing details: 1Lx12PCS**

**Carton Dimension: 35x25x24.3cm**



## Portable fire extinguisher spray



Aerosol Fire Extinguisher can quickly save at the beginning of class A (combustible liquid fire) and class B fires (fire gases and vapors).

**Material:** Foaming agent, water  
**Volume:** 550ml/650ml/1000ml for options

**Features:**

Suitable for all kinds of models to carry, convenient and safe.  
 simple and easy fire extinguisher, built-in membrane foam extinguishing agent, non-toxic, tasteless, no corrosion, no pollution and secondary pollution, 100% biodegradable, no special clean-up after using.

**Application:**

Car, vehicles, ships, family, hotel, office, shopping center.

**Packing details:** 500mlx12PCS / 1000mlx12PCS

**Carton Dimension:** 29x22.5x27.5cm/31.5x23.5x31.5cm

## Aerosol Spray Paint



This is quick-drying aerosol paint, it is featured with convenient operation, good spray ability, high delivery rate and fast-drying effect.

**Packing details:** 350mlx24PCS

**Carton Dimension:** 32.3x21.5x24cm

**Packing details:** 450mlx12PCS

**Carton Dimension:** 27.5x20.5x20.8cm

## Tire sealer and inflator



**TYRE SEALER INFLATOR**

- . No dirty hands
- . Seals Punctures
- . Reinflates Tyre
- . No Jack Required

Haifei tyre sealer inflator is designed to quickly seal small punctures and leaks, reinflating your tyre in seconds.

This item does not require a jack or wheel removal; it's a fast, easy and clean procedure that gets you back on the road in seconds.

Suitable for small punctures on all tubeless or tube rubber tyres on cars and small trucks.

**Packing details:** 450mlx12PCS

**Carton Dimension:** 27.3x20.4x19.7cm

## 2K Two-Components Spray Paint



**Features:**

- . Accurate proportioning, separate storage.
- . Diameter 52mm and 65mm, easy to hold.
- . 260ml and 570ml net weight for choosing.
- . High hardness and good adhesion.
- . Strong weather resistance.
- . Wide range of applications.
- . Spraying effect is comparable to car paint.

**Packing details:** 260mlx24PCS  
 570mlx24PCS

**Carton Dimension:** 34x23x22cm  
 42.4x28.6x26.2cm

## Air Freshener Spray

Get the confidence of knowing that your home always welcoming and it pleasurable for family and unexpected guests.  
Set it to your preferred fragrance level and enjoy the continuous freshness.  
Refilling works with any Air Wick Freshmatic Ultra unit.



**Volume:** 250ml  
**Packaging:** 24pcs or 48pcs / 72pcs  
**Fragrance:** strawberry, lemon, rose, vanilla, jasmine, lavender, etc.  
**Expiration Date:** 3 years  
**Carton Dimension (72pcs):** 42.5x28x48cm

## Air Neutralizer metered sprayer

For use with automatic metered Dispenser



## Beauty & Personal Care Perfume Body Spray

This is a smart collection perfume for Men.

**Features:**  
1. Long-lasting.  
2. Provide effective deodorant.  
3. Eco-Friendly Material.  
Size: 8 OZ/250ml or as you required



**Our Service:**  
1. OEM & ODM is offered;  
2. Private label design;  
3. Provide free samples;  
**Cautions:**  
Do not intentionally inhale vapor or spray mist.  
Do not take internally. Do not get in eyes.

## Snow spray

1. used to create snow scenery  
2. used to all kinds of occasions to increase atmosphere, christmas, birthday, party etc.  
3. safety, harmless to human body,

**Packing details:** 250mlx48pcs  
**Carton Dimension:** 45x33x25cm  
**Packing details:** 500mlx24pcs  
**Carton Dimension:** 40x27.2x35.4cm



## Insecticide aerosol sprayer

### Key Feature:

- Active ingredient: Es-bioallethrin & D-phenothrin.  
- Powerful and effective to kill mosquitoes, flies, cockroaches, bugs and other insects  
- Suitable to be used in households, hotels and restaurants, etc.

**Sizes and brand:** 300ml, 400ml, 600ml, 750ml (welcome OEM brands)  
Fragrances: Lemon, rose, jasmine, lavender, orange, sandalwood, etc.  
Toxicity / validity: Micro-poisonous / 2-3 years

**Packing details:** 600mlx12PCS  
**Carton Dimension:** 30X22X30.5cm  
**Packing details:** 600mlx24PCS  
**Carton Dimension:** 42.5X29X30.3cm



## Household Water-based Air Freshener Aerosol Sprayer

Touch of natural fragrance for your comfort.

**Features:**  
. Take deionized water as solvent, DME as propellant, adopt high quality perfume, thus to realize the fragrance in purity.  
. Perfect atomisation makes our products have long lasting nice smell.  
. 2-3 years storage without leakage, as a result of anti-corrosive process.  
. Easy operation. Shake lightly before spray.

Fragrance as u required: lemon, rose, jasmine, strawberry, apple, lavender, sandalwood...  
**Size:** 200ml/300ml/320ml/350ml/400ml or as you required

**Our Service:**  
1. OEM & ODM is offered;  
2. Private label design;  
3. Provide free samples;  
4. Manufacturing according to customer's sample & specification.

**Fragrance:** strawberry, lemon, rose, vanilla, jasmine, lavender, etc.  
**Packing details:** 300mlx12PCS  
**Carton Dimension:** 22x16.5x26cm  
**Packing details:** 400mlx12PCS  
**Carton Dimension:** 27x22x24cm





**Umiko**<sup>TM</sup>

**GUANGZHOU UMIKO INDUSTRY CO., LTD.**

Add: NO.14 XINGZHENG ROAD, SHANJIAO VILLAGE, ZHUCUN STREET, ZENGCHENG DISTRICT,  
GUANGZHOU, GUANGDONG, CHINA.

Tel: +86-(020)82455585      Email: [sales@gzumiko.com](mailto:sales@gzumiko.com)

Web: [www.gzumiko.ru](http://www.gzumiko.ru)

Online shop: [cngzumiko.en.alibaba.com](http://cngzumiko.en.alibaba.com)