



联 尔 顿

快开盲板

LIANERDUN

QUICK OPENING CLOSURE

黑龙江省联尔顿石化设备有限公司

Heilongjiang Lianerdun Petrochemical Equipment Co., Ltd

LIANERDUN INDUSTRY



企业概况

COMPANY PROFILE



黑龙江省联尔顿石化设备有限公司自成立以来，始终秉持“质量为本、用户至上”的经营理念，力争成为行业中标杆企业。公司技术力量雄厚，证照齐全、拥有现代化的标准厂房，生产制造设备、检测设备齐全，质管体系完善。技术研发队伍专业性强，产品主要技术指标与性能已达到国内外先进水平，且行业中处于领先地位。

Since its establishment, Heilongjiang Lianerdun Petrochemical Equipment Co., Ltd. has always been adhering to the “quality-oriented, user first” business philosophy, and strive to become a benchmark enterprise in the industry. The company has strong technical force, complete license, modern standard workshop, manufacturing equipment, testing equipment, quality control system is perfect. Technical research and development team is highly specialized, the main technical indicators and performance of the products have reached the advanced level at home and abroad, and is in the leading position in the industry.

公司主营产品：快开盲板（锁环型、卡箍型、插扣型）， 高压容器、常压容器槽罐等。以优质的产品和良好的服务赢得了广大顾客的信赖与赞誉。

Main product: Quick opening closure (Bandlock type, Clamp type, Inserted type), High pressure vessels, Atmospheric pressure vessel tanks etc. The company has gained lots of trust and praise from all over the world with qualified products and good service.

公司经过长期的探索与积淀，形成了适合本企业的发展道路，并确立了“立足现有，拓展创新”的中长期发展规划。衷心希望与海内外客户建立起面向未来的长期双赢合作。

After long period of exploration and precipitation, the company has formed a development path suitable for the enterprise, and established a "based on the existing, expanding the innovation" of the medium and long term development plan. We sincerely hope to establish long-term win-win cooperation with domestic and overseas clients in the future.

A级压力制造设计资质，ASME资质，ISO三体系质量认证，高新技术企业多项新型及发明专利。专业生产大口径、高压力各类型快开盲板，工期快，监检证书齐全。业务涉及中石油、中石化、中海油、国家管网等长期合作供应商。以卓越的服务品质，专业安全的技术服务实力，为供应商提供更高更优质的服务。

Production License of Special Equipment People's Republic of China, ASME, ISO, A number of new and invention patents of high-tech enterprises Specializing in the production of large-diameter, high-pressure types of quick opening closure, fast delivery, supervision and inspection certificates complete. Business involves PetroChina, Sinopec, CNOOC, PipeChina and other long-term cooperative suppliers. With excellent service quality, professional and safe technical service strength, we provide suppliers with higher and better service.

荣誉资质

HONORARY QUALIFICATIONS



公司优势

COMPANY ADVANTAGES

- 1) **高端人才** 公司拥有行业内的专业团队。
公司的专业团队均为从事本行业多年的专业人员，曾主导多个项目产品的研发及工程建设。
- 2) **高新技术** 通过自主创新，不断改善产品的加工工艺、使用性能，做到安全、美观、便捷，并已拥有多项专利技术。
- 3) **高品质产品** 公司产品质量标准严于、优于行业标准，在质量和使用性能上达到或超越同类产品。
- 4) 公司实施纵向一体化发展战略，解决快开盲板行业中大口径、高压、特殊使用条件下的加工困难，使用不便等问题，优化工艺、工装，节约生产成本，提高市场竞争力。
- 5) 大力推动科技创新及可持续发展，建立专业化的技术平台，与一流的高等院校及科研院所开展广泛的技术合作，不断推动产品和技术的更新换代，为客户提供强有力的技术支持和完善的售后服务。

1) High-end talent: the company has a professional team in the industry.

The company's professional team are all professionals who have been engaged in this industry for many years, and have led the research and development of products and engineering construction for many projects.

2) High-tech: Through independent innovation, we constantly improve the processing technology and performance of the products to achieve safety, aesthetics and convenience, and have a number of patented technologies.

3) High-quality products: the company's product quality standards are stricter and better than the industry standards, in terms of quality and performance to meet or exceed similar products.

4) The company implements the vertical integration development strategy to solve the problems of processing difficulties and inconvenience in the industry of quick opening closure with large caliber, high pressure and special use conditions, optimize the process, tooling and save the production cost, and improve the competitiveness of the market.

5) Vigorously promote scientific and technological innovation and sustainable development, the establishment of specialized technical platforms, and first-class institutions of higher learning and scientific research institutes to carry out a wide range of technical cooperation, and constantly promote the updating and modernization of products and technology, to provide customers with strong technical support and perfect after-sales service.



快开盲板

QUICK OPENING CLOSURE

应用范围

- 1、各种管道清管器接收 / 发射装置
- 2、过滤器、过滤分离器
- 3、硫化罐、增压釜
- 4、各种快开门式压力容器

Applications

- 1、All kinds of pipe Pig launcher and Receiver
- 2、Filter, filter separator
- 3、Vulcanization tanks, pressurized kettles
- 4、All kinds of quick opening pressure vessels

产品介绍

PRODUCT INTRODUCTION

快开盲板是一种适用于压力管道、容器、收发球筒等快速开关设备，是为清扫、疏通管线，检查、清理容器而在管口处设置的一种固定式快速开启装置。随着当今石油化工行业的飞速发展，快开盲板在管道的清管作业中的作用越来越明显。它适用于不定期开闭的压力管道或压力容器上并能够实现快速开启和关闭，广泛应用于石油、化工、轻工、建材等工业中。

Quick opening closure is a kind of fast switching equipment suitable for pressure pipeline, container, pig receiver & launcher, etc. It is a kind of fixed fast-opening device set up at the mouth of the pipe for the purpose of clearing and dredging the pipeline, checking and cleaning the container. With the rapid development of today's petrochemical industry, the role of quick opening closure in the pipeline clearing operation is becoming more and more obvious. It is suitable for irregular opening and closing of pressure pipelines or pressure vessels and can realize rapid opening and closing, widely used in petroleum, chemical, light industry, building materials and other industries.



卡箍型快开盲板

CLAMP TYPE



Product feature

三瓣卡箍型快开盲板咬合面积大，安全可靠，操作简单，更适用于高压大口径设备上安装使用。带有安全联锁机构，充分确保安全可靠。

该产品主要由盲板盖、筒体、三瓣卡箍、安全联锁机构、转臂机构及开闭机构组成。使用专用扳手顺时针或逆时针转动开关丝杠其中一端，三瓣卡箍即可涨开或收缩，从而达到快速开启和关闭的目的。

Triple yoke clamp type quick opening closure has a large occlusal area, high safety and reliability, simple operation, and is more suitable for high-pressure and large-diameter equipment installation and use. With safety interlocking mechanism, fully ensure safety and reliability.

The product mainly consists of end closure, barrel flange, Triple yoke clamp, safety interlocking mechanism, arm mechanism and opening and closing mechanism. Use a special wrench to turn one end of the switch screw clockwise or counterclockwise, the Triple yoke clamp can be opened or contracted, so as to achieve the purpose of rapid opening and closing.

规格型号

Specification


公称直径

DN (mm): 100-2000



设计压力

Design Pressure (MPa): 1.0-100.0


（立式）卡箍型快开盲板 （VERTICAL） CLAMP TYPE QOC



(卧式)卡箍型快开盲板 (HORIZONTAL) CLAMP TYPE QOC



(两瓣式)卡箍型快开盲板 TWO CLAMP TYPE OQC



锁环型快开盲板

BANDLOCK TYPE



Product feature

本产品结构先进，外形美观，其独特的自紧式唇形密封结构，使密封性更加安全可靠，相较国内同类产品开启和关闭更为快速，手动操作更加方便。带有安全联锁机构，充分确保安全可靠。

该产品主要由盲板盖、筒体、锁环、安全联锁机构、转臂机构及开闭机构组成。使用开关手柄顺时针或逆时针转动手柄座，锁环即可涨开或收缩，从而达到快速开闭的目的。

This product has advanced structure, beautiful appearance, its unique self-tightening lip sealing structure, so that the sealing is more safe and reliable, compared with similar products in China to open and close more quickly, manual operation is more convenient. With safety interlocking mechanism, fully ensure safety and reliability.

The product mainly consists of end closure, barrel flange, bandlock, safety interlocking mechanism, arm mechanism and opening and closing mechanism. Use the switch handle to turn the handle seat clockwise or counterclockwise, bandlock can be opened or contracted, so as to achieve the purpose of rapid opening and closing.

规格型号

Specification


公称直径

DN (mm): 100-2000



设计压力

Design Pressure (MPa): 1.0-100.0

(立式) 锁环型快开盲板 (VERTICAL) BANDLOCK TYPE QOC



(卧式) 锁环型快开盲板 (HORIZONTAL) BANDLOCK TYPE QOC



插扣型快开盲板

INSERTED TYPE



Product feature

本产品结构简单合理，操作方便快捷，安全可靠性能高，维护方便，性价比高，非常适用于公称直径800mm以下设备上安装使用。带有安全联锁机构，充分确保安全可靠。

该产品主要由盲板盖、筒体、安全联锁机构、转臂机构及开闭机构组成。使用随机配备的开关杠顺时针或逆时针转动盲板盖至限位销，即可达到快速开启和关闭的目的。

This product has a simple and reasonable structure, easy and fast operation, high safety and reliability, easy maintenance, high cost performance, and is very suitable for installation on equipment with a nominal diameter of 800mm or less. With safety interlocking mechanism, fully ensure safety and reliability.

The product mainly consists of end closure, barrel flange, safety interlocking mechanism, arm mechanism and opening and closing mechanism. The end closure can be quickly opened and closed by turning it clockwise or counterclockwise to the limit pin using the switching lever supplied with the product.

规格型号

Specification


公称直径

DN (mm): 100-800





设计压力

Design Pressure (MPa): 1.0-100.0

(立式) 插扣型快开盲板 (VERTICAL) INSERTED TYPE QOC



(卧式) 插扣型快开盲板 (HORIZONTAL) INSERTED TYPE QOC



合作品牌

PARTNERS



中国石油



中国石化
SINOPEC




中国海油
CNOOC



国家管网







黑龙江省联尔顿石化设备有限公司

Heilongjiang Lianerdun Petrochemical Equipment Co., Ltd

电话 (Tel) : +86 18645312345 +0453-6427222

网站 (Web) : www.lianerdun.com www.lianerdun.ru www.ledpe.cn

邮箱 (E-mail) : admin@ledpetro.com

地址: 黑龙江省牡丹江市西安区牡丹街764号

Add : No. 764 Mudan Street, Xi'an District, Mudanjiang City,
Heilongjiang Province, China

